- 14. Oscar, T. P. Identification and characterization of *Salmonella* isolates by automated ribotyping. J. Food Prot. 61:519-524. 1998.
- 15. Oscar, T. P. Growth kinetics of *Salmonella* isolates in laboratory medium as affected by isolate and holding temperature. J. Food Prot. 61:964-968. 1998.
- 16. Oscar, T. P. The development of a risk assessment model for use in the poultry industry. J. Food Saf. 18:371-381. 1998.
- 17. Oscar, T. P. Response surface models for effects of temperature, pH, and previous growth pH on growth kinetics of *Salmonella typhimurium* in brain heart infusion broth. J. Food Prot. 62:106-111. 1999.
- 18. Oscar, T. P. Response surface models for effects of temperature and previous temperature on lag time and specific growth rate of *Salmonella* Typhimurium on cooked ground chicken breast. J. Food Prot. 62:111-1114. 1999.
- 19. Oscar, T. P. Response surface models for effects of previous sodium chloride and temperature on growth kinetics of *Salmonella* Typhimurium on cooked chicken breast. J. Food Prot. 62:1470-1474. 1999.
- 20. Oscar, T. P. Variation of lag time and specific growth rate of 11 strains of *Salmonella* inoculated onto sterile ground chicken breast burgers and incubated at 25°C. J. Food Saf. 20:225-236. 2000.
- 21. Oscar, T. P. Development and validation of a tertiary simulation model for predicting the potential growth of *Salmonella* Typhimurium on cooked chicken. Int. J. Food Microbiol. 76:177-190. 2001.
- 22. Yoon, K. S., and Oscar, T. P. Survival of *Salmonella typhimurium* on sterile ground chicken breast patties after washing with salt and phosphates and during refrigerated and frozen storage. J. Food Sci. 67:772-775. 2002.
- 23. Oscar, T. P. Comparison of predictive models for growth of parent and green fluorescent protein-producing strains of *Salmonella*. J. Food Prot. 66:200-207. 2003.
- 24. Yoon, K. S., Burnette C. N., and Oscar, T. P. Development of predictive models for the survival of *Campylobacter jejuni* (ATCC 43051) on cooked chicken breast patties and in broth as a function of temperature. J. Food Prot. 67:64-70. 2004.
- 25. Oscar, T. P. Dose-response model for 13 strains of Salmonella. Risk Anal. 24:41-49. 2004.
- 26. Oscar, T. P. A quantitative risk assessment model for *Salmonella* and whole chickens. Int. J. Food Microbiol. 93:231-247. 2004.
- 27. Oscar, T. P. Simulation model for enumeration of *Salmonella* on chicken as a function of PCR detection time score and sample size: implications for risk assessment. J. Food Prot. 67:1201-1208. 2004.
- 28. Oscar, T. P. Validation of lag time and growth rate models for *Salmonella* Typhimurium: acceptable prediction zone method. J. Food Sci. 70:M129-M137. 2005.
- 29. Oscar, T. P. Development and validation of primary, secondary and tertiary models for

- growth of Salmonella Typhimurium on sterile chicken. J. Food Prot. 68:2606-2613. 2005.
- 30. Oscar, T. P., Dulal, K., and Boucaud, D. Transformation of *Escherichia coli* K-12 with a high copy plasmid encoding the green fluorescent protein reduces growth: implications for predictive microbiology. J. Food Prot. 69:276-281. 2006.
- 31. Oscar, T. P. Validation of a tertiary model for predicting variation of *Salmonella* Typhimurium DT104 (ATCC 700408) growth from a low initial density on ground chicken breast meat with a competitive micro flora. J. Food Prot. 69:2048-2057. 2006.
- 32. Oscar, T. P. Predictive models for growth of *Salmonella typhimurium* DT104 from low and high initial density on ground chicken with a natural microflora. Food Microbiol. 24:640-651. 2007.
- 33. Parveen, S., Taabodi, M., Mohamed, T., Schwarz, J. P., Oscar, T. P., Harter-Dennis, J., Hubert, S., and White, D. G. Prevalence and antimicrobial resistance of *Salmonella* spp. recovered from processed poultry. J. Food Prot. 70:2466-2472. 2007.
- 34. Abou-Zeid, K., Yoon, K., Oscar, T. P., Schwarz, J., Hashem, F., and Whiting, R. Survival and growth of *Listeria monocytogenes* in broth as a function of temperature, pH, and potassium lactate and sodium diacetate concentrations. J. Food Prot. 70:2620-2625. 2007.
- 35. Oscar, T. P. Persistence of *Salmonella* serotypes on chicken skin after exposure to kosher salt and rinsing. J. Food Saf. 28:389-399. 2008.
- 36. Oscar, T. P. Development and validation of a stochastic model for predicting the growth of *Salmonella* Typhimurium DT104 from a low initial density on chicken frankfurters with native microflora. J. Food Prot. 71:1135-1144. 2008.
- 37. Oscar, T. P. An approach for mapping the number and distribution of *Salmonella* contamination on the poultry carcass. J. Food Prot. 71:1785-1790. 2008.
- 38. Oscar, T. P. Predictive model for survival and growth of *Salmonella* Typhimurium DT104 on chicken skin during temperature abuse. J. Food Prot. 72:304-314. 2009.
- 39. Abou-Zeid, K. A., Oscar, T. P., Schwarz, J. G., Hashem, F. M., Whiting, R. C., and Yoon, K.S. Development and validation of a predictive model for *Listeria monocytogenes* Scott A as a function of temperature, pH, and commercial mixture of potassium lactate and sodium diacetate. J. Microbiol. Biotechnol. 19:718-726. 2009.
- 40. Oscar, T. P., and Singh, M. Persistence of *Salmonella* spp. on chicken skin after exposure to an Italian marinade. J. Rapid Meth. Aut. Microbiol. 17:369-382. 2009.
- 41. Oscar, T. P. General regression neural network and Monte Carlo simulation model for survival and growth of *Salmonella* on raw chicken skin as a function of serotype, temperature and time for use in risk assessment. J. Food Prot. 72:2078-2087. 2009.
- 42. Oyarzabal, O. A., Oscar, T. P., Speegle, L., and Nyatt, H. Survival of *Campylobacter jejuni* and *Campylobacter coli* on retail broiler meat stored at -20, 4, or 12°C and development of Weibull models for survival. J. Food Prot. 73:1438-1446. 2010

- 43. Oscar, T. P., Rutto, G. K., Ludwig, J. B., and Parveen, S. Qualitative map of *Salmonella* contamination on young chicken carcasses. J. Food Prot. 73:1596-1603. 2010.
- 44. Oscar, T. P. Development and validation of a predictive microbiology model for survival and growth of *Salmonella* on chicken stored at 4 to 12°C. J. Food Prot. 74:279-284. 2011.
- 45. Oscar, T. P. Plenary lecture: Innovative modeling approaches applicable to risk assessments. Food Microbiol. 28:777-781. 2011.
- 46. Oscar, T. P. Extrapolation of a predictive model for growth of a low inoculum size of *Salmonella* Typhimurium DT104 on chicken skin to higher inoculum sizes. J. Food Prot. 74:1630-1638. 2011.
- 47. Oscar, T. P. Growth of *Salmonella* Typhimurium DT104 at 30°C is not affected by anatomical location on the chicken carcass. J. Food Prot. 75:164-168. 2012.
- 48. Oscar, T. P. Initial contamination of chicken parts with *Salmonella* at retail and cross-contamination of cooked chicken with *Salmonella* from raw chicken during meal preparation. J. Food Prot. 76:33-39. 2013.
- 49. Oscar, T. P., Tasmin, R., and Parveen, S. Chlorine inactivation of nonresistant and antibiotic resistant strains of *Salmonella* Typhimurium isolated from chicken carcasses. J. Food Prot. 76:1031-1034. 2013.
- 50. Oscar, T. P. Validation of a predictive model for survival and growth of *Salmonella* Typhimurium DT104 on chicken skin for extrapolation to a previous history of frozen storage. J. Food Prot. 76:1035-1040. 2013.
- 51. Oscar, T. P. Food Risk Analysis. In: Oyarzabal, O. A. and Backert, S. (eds.) Microbial Food Safety. Springer, New York. Pp. 175-188. 2012. (Book Chapter).
- 52. Oscar, T. P. Innovative Modeling Approaches for Risk Assessments in Food Safety. In: Yan, X., Juneja, V. K., Fratamico, P.M., Smith, J.L. (eds.) Omics, Microbial Modeling and Technologies for Foodborne Pathogens. DEStech Publications, Inc., Lancaster. Pp. 389-422. 2012. (Book Chapter).
- 53. Oscar, T. P. General regression neural network model for behavior of *Salmonella* on chicken meat during cold storage. J. Food Sci. 79:M978-987. 2014.
- 54. Oscar, T. P. Use of enrichment real-time PCR to enumerate *Salmonella* on chicken parts. J. Food Prot. 77:1086-1092. 2014.
- 55. Mohamed, T. M., Parveen, S., Ludwig, J. B., and Oscar, T. P. Chlorine inactivation of *Salmonella* Kentucky isolated from chicken carcasses: evaluation of strain variation. J. Food Prot. 78:414-418. 2015.
- 56. Oscar, T. P. Neural network model for survival and growth of *Salmonella enterica* serotype 8,20:-:z<sub>6</sub> in ground chicken thigh meat during cold storage: extrapolation to other serotypes. J. Food Prot. 78:1819-1827. 2015.
- 57. Oscar, T. P. Neural network models for growth of *Salmonella* serotypes in ground chicken subjected to temperature abuse during cold storage for application in HACCP and risk

- assessment. Int. J. Food Sci. Technol. 52:214-221. 2017.
- 58. Oscar, T. P. Acquisition of data by whole sample enrichment, real-time polymerase chain reaction for development of a process risk model for *Salmonella* and chicken parts. J. Nutr. Food Sci. 6:4 doi:10.4172/2155-9600.1000538. 2016.
- 59. Oscar, T. P. Neural network model for thermal inactivation of *Salmonella* Typhimurium to elimination in ground chicken: acquisition of data by whole sample enrichment, miniature most-probable number method. J. Food Prot. 80:104-112. 2017.
- 60. Oscar, T. P. Risk of salmonellosis from chicken parts prepared from whole chickens sold in flow pack wrappers and subjected to temperature abuse. J. Food Prot. 80:1496-1505. 2017.
- 61. Oscar, T. P. Modeling the effect of inoculum size on the thermal inactivation of *Salmonella* Typhimurium to elimination in ground chicken thigh meat. Am. J. Food Sci. Technol. 5:135-142. 2017.
- 62. Oscar, T. P. Development and validation of a neural network model for predicting growth of *Salmonella* Newport on diced Roma tomatoes during simulated salad preparation and serving: extrapolation to other serotypes. Int. J. Food Sci. Technol. 53:1789-1801. 2018.
- 63. Oscar, T. P. Neural network model for growth of *Salmonella* Typhimurium in brain heart infusion broth. Int. J. Food Sci. Technol. 53:2610-2616. 2018.
- 64. Oscar, T. P. Short-term and long-term effects of pathogen reduction interventions on risk of salmonellosis from whole chickens. Food Sci. Nutr. 6:2515-2522. 2018.
- 65. Shen, X., Su, Y., Liu, C., Oscar, T. and DePaola, A. Efficacy of *Vibrio parahaemolyticus* depuration in oysters (*Crassostrea gigas*). Food Microbiol. 79:35-40. 2019.
- 66. Taabodi, M., Hashem, F. M., Oscar, T. P., Parveen, S., and May, E. B. The possible roles of *Escherichia coli* in the nitrogen cycle. Int. J. Environ. Res. 13:597-602. 2019.
- 67. Hawkins, J. L., Uknalis, J., Oscar, T. P., Schwarz, J. G., Vimini, B., and Parveen, S. The effect of previous life cycle phase on the growth kinetics, morphology, and antibiotic resistance of *Salmonella* Typhimurium DT104 in brain heart infusion and ground chicken extract. Front. Microbiol. 10:1043. 2019.
- 68. Oscar, T. P. Process risk model for *Salmonella* and ground chicken. J. Appl. Microbiol. 127:1236-1245. 2019.
- 69. Oscar, T. P. Predictive model for growth of *Salmonella* Newport on Romaine lettuce. J. Food Saf. doi:10.1111/jfs.12786. 2020.
- 70. Oscar, T. P. Validation software tool (ValT) for predictive microbiology based on the acceptable prediction zones method. Int. J. Food Sci. Technol. doi:10.1111/ijfs.14534. 2020.
- 71. Oscar, T. P. *Salmonella* prevalence alone is not a good indicator of poultry food safety. Risk Anal. doi:10.1111/risa.13563. 2020.
- 72. Oscar, T. P. A multiple therapy hypothesis for treatment of COVID-19 patients. Med.

- Hypotheses. 145:110353. 2020.
- 73. Oscar, T. P. Development and validation of a neural network model for growth of *Salmonella* Newport from chicken on cucumber for use in risk assessment. J. Food Process. Preserv. 45:e15819. 2021.
- 74. Oscar, T. P. Monte Carlo simulation model for predicting *Salmonella* contamination of chicken liver as a function of serving size for use in quantitative microbial risk assessment. J. Food Prot. 84(10):1824-1835. 2021.
- 75. Boleratz, B. L. and Oscar, T. P. Use of ComBase data to develop an artificial neural network model for nonthermal inactivation of *Campylobacter jejuni* in milk and beef and evaluation of model performance and data completeness using the acceptable prediction zones method. J. Food Saf. 42:e12983. 2022.
- 76. Oscar, T. P. Poultry Food Assess Risk Model for *Salmonella* and chicken gizzards: I. Initial contamination. J. Food Prot. 86(2), 100036. 2023.
- 77. Oscar, T. P. Poultry Food Assess Risk Model for *Salmonella* and chicken gizzards: II. Illness dose step. J. Food Prot. 86(6), 100091. 2023.