

# **USDA Nutrient Data Set for Retail Beef Cuts from SR, Release 3.0<sup>1</sup>**

**Prepared by**

**Janet M. Roseland, Quynhanh V. Nguyen, Juhi R. Williams,  
Kristine Y. Patterson (Ret.)**

**Nutrient Data Laboratory  
Agricultural Research Service  
U.S. Department of Agriculture**

**September 2013**

U.S. Department of Agriculture  
Agricultural Research Service  
Beltsville Human Nutrition Research Center  
Nutrient Data Laboratory  
10300 Baltimore Avenue  
Building 005, Room 107, BARC – West  
Beltsville, Maryland 20705  
Phone 301-504-0630  
E-mail: [ndlinfo@ars.usda.gov](mailto:ndlinfo@ars.usda.gov)  
Web site: <http://www.ars.usda.gov/nutrientdata>

<sup>1</sup>Supported by the United States Department of Agriculture, the National Institutes of Health, and the National Cattlemen's Beef Association on behalf of the Beef Checkoff. Support for this work was also provided by grants from the NIH to the UNC Clinical Research Unit.

## Table of Contents

Purpose & Introduction .....	1
Methods And Procedures .....	2
Selection of Beef Samples .....	2
Cooking Procedures .....	3
Dissection.....	4
Compositing.....	4
Nutrient Analysis .....	5
Table Format .....	6
Data Dissemination .....	7
References .....	7
Acknowledgements .....	8
USDA Nutrient Data Set for Retail Beef Cuts, Release 3.0.....	9
Beef, round, outside round (Biceps femoris), steak, trimmed to 0" fat, select.....	9
Beef, round, outside round (Biceps femoris), steak, trimmed to 0" fat, choice .....	10
Beef, round, tip round, roast, trimmed to 0" fat, select .....	11
Beef, round, tip round, roast, trimmed to 0" fat, choice.....	12
Beef, loin, top sirloin, steak, trimmed to 1/8" fat, select.....	13
Beef, loin, top sirloin, steak, trimmed to 1/8" fat, choice .....	14
Beef, loin, tenderloin, steak, trimmed to 0" fat, select .....	15
Beef, loin, tenderloin, steak, trimmed to 0" fat, choice.....	16
Beef, loin, tenderloin, steak, trimmed to 1/8" fat, select.....	17
Beef, loin, tenderloin, steak, trimmed to 1/8" fat, choice.....	18
Beef, flank, steak, trimmed to 0" fat, select .....	19
Beef, flank, steak, trimmed to 0" fat, choice.....	20
Beef, loin, tri-tip, roast, trimmed to 0" fat, select .....	21
Beef, loin, tri-tip, roast, trimmed to 0" fat, choice .....	22
Beef, chuck, shoulder clod, shoulder tender (Teres major), medallion, trimmed to 0" fat, select.....	23
Beef, chuck, shoulder clod, shoulder tender (Teres major), medallion, trimmed to 0" fat, choice.....	24
Beef, chuck, shoulder clod, top blade (Infraspinatus), steak, trimmed to 0" fat, select .....	25
Beef, chuck, shoulder clod, top blade (Infraspinatus), steak, trimmed to 0" fat, choice.....	26
Beef, chuck, shoulder top and center (Triceps brachii), steak, trimmed to 0" fat, select.....	27
Beef, chuck, shoulder top and center (Triceps brachii), steak, trimmed to 0" fat, choice.....	28
Beef, shoulder pot roast, boneless, trimmed to 0" fat, select .....	29
Beef, shoulder pot roast, boneless, trimmed to 0" fat, choice .....	30
Beef, shoulder steak, boneless, trimmed to 0" fat, select.....	31
Beef, shoulder steak, boneless, trimmed to 0" fat, choice.....	32
Beef, chuck, mock tender steak, boneless, trimmed to 0" fat, select .....	33
Beef, chuck, mock tender steak, boneless, trimmed to 0" fat, choice.....	34
Beef, brisket, flat half, boneless, trimmed to 0" fat, select .....	35
Beef, brisket, flat half, boneless, trimmed to 0" fat, choice.....	36
Beef, shoulder top blade steak, boneless, trimmed to 0" fat, select.....	37
Beef, shoulder top blade steak, boneless, trimmed to 0" fat, choice.....	38
Beef, chuck, under blade center steak, boneless, Denver Cut, trimmed to 0" fat, select .....	39
Beef, chuck, under blade center steak, boneless, Denver Cut, trimmed to 0" fat, choice.....	40
Beef, loin, top loin steak, trimmed to 0" fat, select.....	41
Beef, loin, top loin steak, trimmed to 0" fat, choice .....	42
Beef, loin, top loin steak, trimmed to 1/8" fat, select.....	43
Beef, loin, top loin steak, trimmed to 1/8" fat, choice .....	44
Beef, round, top round, steak, trimmed to 0" fat, select .....	45
Beef, round, top round, steak, trimmed to 0" fat, choice .....	46
Beef, round, top round, steak, trimmed to 1/8" fat, select .....	47

Beef, round, top round, steak, trimmed to 1/8" fat, choice .....	48
Beef, round, eye of round steak, trimmed to 0" fat, select.....	49
Beef, round, eye of round steak, trimmed to 0" fat, choice .....	50
Beef, chuck, short ribs, boneless, trimmed to 0" fat, select .....	51
Beef, chuck, short ribs, boneless, trimmed to 0" fat, choice .....	52
Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, select.....	53
Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, choice .....	54
 Appendix A: Analytical methods .....	 A-1
Appendix B: Nutrient content of separable lean meat, raw.....	B-1
Appendix C: Retail Cuts for Mandatory Beef Labeling.....	C-1

**Release Notes:**

Release 1.0 – September 2009.

Release 2.0 – September 2011. Added data for beef cuts from Phase 2 of the Nutrient Data Improvement study.

Release 3.0 –September 2013. Added data for beef cuts from Phase 3 of the Nutrient Data Improvement study

Mention of trade names, commercial products, or companies in this publication is solely for the purpose of providing specific information and does not imply recommendation or endorsement by the U.S. Department of Agriculture over others not mentioned.

## **Purpose**

The USDA Nutrient Data Set for Retail Beef Cuts provides retailers with a tool to obtain the most accurate beef nutrient data for the purpose of on-pack nutrition labeling. This data set focuses on the beef cuts identified by the USDA Food Safety and Inspection Service (FSIS) for nutrition labeling and, in addition, includes data for some Beef Value Cuts.

## **Introduction**

Since the 1990's, nutrient composition data for beef products in the USDA National Nutrient Database for Standard Reference (SR) have been updated regularly. These updates have been important since changes in animal husbandry practices and industry procedures have led to the availability of leaner cuts, as well as the marketing of cuts not previously available. The USDA Nutrient Data Laboratory (NDL) has been involved in three different studies designed to update or expand the data on beef cuts in SR. These studies included the 1/8 Inch Study, the Beef Value Cuts (BVC) Study, and the Beef Nutrient Database Improvement (NDI) Study. In addition to providing current and accurate estimates for the beef data in SR, these new data are also useful for enabling the industry to meet the USDA Food Safety and Inspection Service (FSIS) labeling regulations for fresh, single-ingredient meats implemented in 2011.

The 1/8 Inch Study was a collaborative research project conducted by the USDA NDL and Texas A&M University, and sponsored by the National Cattleman's Beef Association (NCBA) with support from the Beef Checkoff Program. The objective of this study was to determine the physical characteristics and nutrient composition of 13 raw and cooked retail cuts that had been fabricated with fat trim levels representative of current retail cuts. This study generated analytical data that had not previously been available in SR.

The purpose of the BVC Study was to provide information on a line of single muscle roasts and steaks, fabricated from the outside round, the knuckle, and the chuck shoulder clod. These cuts, introduced into the retail market in 2001-2002, include the top blade steak (Infraspinatus muscle), shoulder top and center steaks (Triceps brachii), shoulder tender (Teres major), tip center (Rectus femoris), tip side (Vastus lateralis) and bottom round (Biceps femoris). The USDA NDL, in collaboration with NCBA with support from the Beef Checkoff Program, and the University of Wisconsin conducted this study to determine the nutrient profile of the BVC for inclusion in SR. Since there is no separable fat present in the denuded single muscles of the BVC study, nutrient values for "Separable Lean Only" and "Separable Lean and Fat" are the same. Five of these six major cuts meet the USDA definition of lean<sup>1</sup>.

The NDI Study updated and expanded nutrient profiles for specific retail cuts from the chuck, brisket, rib, plate, loin, and round. The study was conducted by NDL and NCBA with support from the Beef Checkoff Program, in collaboration with Colorado State University (CSU), Texas A & M University (TAMU), and Texas Tech University (TTU). These universities were responsible for identifying and obtaining the beef primals at multiple packing plants in accordance with the study's sampling plan, and with fabricating these primals into the required retail cuts.

---

<sup>1</sup> The FSIS definition: The term "lean" may be used on the labels of meat or poultry products which possess no more than 10% fat, by weight (<http://www.gpo.gov/fdsys/pkg/CFR-2008-title9-vol2/pdf/CFR-2008-title9-vol2-part317-subpartB.pdf> accessed 07/17/13).

These research studies have ensured that the most accurate beef nutrient data currently available are included in the National Nutrient Database for Standard Reference (SR) and will enable all other nutrient databases that link to the SR to use the most up-to-date nutrient data in nutrition research and surveillances. Release of this dataset, a subset of SR data, will provide accurate nutrient data enabling vendors to comply with FSIS labeling for single ingredient meats for preparation of on-pack nutrient labels for various beef cuts, including those that are most often marketed in the retail case.

## **Objective of Research**

The objective of the research is to develop, update and maintain the food composition values for beef and beef products in the USDA National Nutrient Database for Standard Reference (SR) and to assure that estimates of nutrient data are current and accurate.

## **Methods And Procedures**

### **Selection of Beef Samples**

#### *1/8 Inch Study*

Carcasses (n=20) were selected from two packing plants, one in the Texas Panhandle and the other in Nebraska. Ten USDA Choice and ten USDA Select, yield grade 2 and 3, carcasses were selected for the study. These carcasses represented the approximate distribution found in the US beef supply according to the National Quality Beef Audit – 1998 (Boleman et al., 1998).

All carcasses were shipped to Texas A&M University for fabrication of the following retail cuts: arm roast, bottom round roast, bottom round steak, brisket – flat half, eye of round roast, flank steak, round tip roast, small-end rib steak, tenderloin steak, tri-tip (bottom sirloin butt) roast (boneless and defatted), top loin steak, top round steak, and top sirloin steak. Cuts were assigned randomly to the following external fat trim levels: 0.0 cm (0 inch trim), 0.3 cm (1/8 inch trim), or 0.6 cm (1/4 inch trim). Three of the cuts (flank steak, round tip roast, and tri-tip roast) had no external fat and were assigned to the 0.0 cm group for both preparations, raw and cooked. Dried muscle surfaces, extending chine bones, minor muscles, and muscle pieces were trimmed from all cuts. All cuts were vacuum packed individually, labeled, and frozen at -23°C for further dissection and cooking. Additional details on fabrication have been previously published (Wahrmund-Wyle et al., 2000).

#### *BVC Study*

Animal products were obtained from an IBP (Tyson, Inc.) plant near Sioux City, Iowa. This plant draws cattle from a large number of feedlots and has a nationwide product distribution. Twelve carcasses were identified by quality grade (high choice, average choice, and select) with yield grades of 2 or 3. Two carcasses were used for reserves and for training the meat cutting staff. There was sufficient product from 1 knuckle, 1 outside round, and 1 chuck clod to sample, prepare, and analyze five of the cuts. The Teres major is a small muscle (~8 oz from 1 side) and would not provide a sufficient amount for all analyses. Therefore, one fifteen pound box of choice and one box of select Teres major muscles (yield grade unknown) were purchased from the same plant. Each muscle was trimmed free of all external fat and heavy connective tissue. The denuded muscles were vacuum packaged and stored at -20°F until steak preparation.

### *NDI Study*

Beef primals were collected from six production point locations: Tolleson, AZ, Greely, CO, Dodge City, KS, Green Bay, WI, Plainview, TX, Omaha, NE, and Corpus Christi, TX, to ensure national representation of the product. The beef was collected using a statistically designed plan dictating the carcasses to be obtained based on quality grade, yield grade, gender and genetics, which thereby reflected the availability of each type of carcass to the retail market. A total of 36 sample units were collected, each of which represented two carcasses, matched in characteristics, to ensure that sufficient product was available. Each of the 36 units was fabricated into specified retail cuts for the study, using established study protocols.

## **Cooking Procedures**

### *1/8 Inch Study*

Retail cuts to be cooked were thawed overnight in a cooler at 5°C, weighed, and cooked as follows: arm roast, bottom round steak, and brisket were braised; bottom round roast, eye of round roast, round tip roast, and tri-tip roast were roasted; flank steak, small-end rib steak, tenderloin steak, top loin steak, top round steak, and top sirloin steak were broiled. For braising, cuts were browned for 4-8 minutes (time being size dependent) in a preheated (163°C) Farberware® Dutch Oven placed on top of a conventional range. After browning, the cuts were covered with 90-180 ml distilled water, placed in a preheated conventional gas oven at 163°C and simmered in a covered vessel to an internal temperature of 85°C. Cuts for roasting were placed uncovered on wire racks with the fat side up, when possible, and cooked in a conventional gas oven (preheated to 163°C) to an internal temperature of 60°C. For broiling, cuts were cooked on electric Farberware® Open-Hearth Broilers (model 350A) to an internal temperature of 65°C. The internal temperatures of each retail cut were monitored by inserting copper constantan thermocouples into the geometric center of the cut; temperatures were recorded on Honeywell recorders. After cooking, cuts were cooled, wrapped in plastic wrap and chilled (2-3°C) overnight (Jones et al., 1992). Each cut was weighed prior to and after cooking for calculation of cooking yield.

### *BVC Study*

Muscles were cut into 1-inch thick steaks and weighed. Steaks were removed in pairs, one steak for raw analyses, the other to be cooked and analyzed in the cooked state. Steaks were cooked by grilling over a preheated portable gas grill; steaks were turned when the internal temperature reached the midway point between the starting temperature and the final internal temperature (including post-cooking temperature rise) of 70°C (medium degree of doneness). Steaks were placed on a wire rack for 3 minutes and then weighed to obtain the cooked weight. Raw and cooked steaks were stored at -30°C until preparation for nutrient analyses.

### *NDI Study*

The beef cuts from the NDI Study included in this table were cooked by braising, roasting, or grilling. Each beef cut was prepared before cooking with all of the necessary weights and temperatures recorded. For the grilling method, a Salton two-sided electric grill with removable grill plates was used. The grill was preheated according to the standard operating procedures and temperatures were recorded. For cooking, the beef samples were evenly spaced in the center of a cooking grate with proper identification. Each sample was cooked with the grill lid closed to an internal temperature of 70°C. Stainless steel tongs or spatulas were used to remove test samples from the grill.

For oven-braising, the beef samples were placed in a preheated pan and were “browned/seared”, turning as needed for even browning on all sides. The pan drippings were poured off and the volume (ml) of drippings was measured. The thermocouple was then inserted in the geometric center or thickest portion of the meat piece. A small amount of distilled deionized water was added until the water reached one third of the thickness of the meat. The liquid was held at a simmer; the pan was covered with a lid, and placed in the Dutch oven. The Dutch oven was placed in a preheated 120°C (250°F) oven. The beef samples were simmered and cooked until an internal temperature of 85°C was reached. The samples were removed from the oven while keeping the thermocouple probe in place.

For roasting, the oven was preheated to 160°C (325°F). The beef samples were placed in the roasting pan with no oil or water added. The pan was not covered. The roasting pan was positioned on the oven rack in center of oven and samples were roasted to an internal temperature of 60°C (140°F). The beef samples were removed from the oven. The thermocouple probe remained in place and samples were allowed to stand while monitoring the internal temperature.

With all cooking methods, cooking time and internal product temperature were recorded when the samples were removed from the heat. The beef samples were allowed to stand while monitoring the internal temperature rise until temperatures began to decline. The point right before the temperature declined (highest temperature reached) was the final internal temperature of the cooked sample. Beef samples were then chilled uncovered in the refrigerator (2-4° C) for 24 ± 1 hour before dissection.

## **Dissection**

### *1/8 Inch Study*

All cuts, both raw and cooked, were carefully dissected to separate and weigh the components of each cut. These components include separable lean, external fat, seam fat, and waste such as bone and heavy (non-edible) connective tissue. The separable lean includes muscle, intramuscular fat, and connective tissue that are considered edible. External trim fat is the fat on the outside of the cut. Seam fat refers to intermuscular fat deposits within the cut.

### *BVC Study*

Samples required no further dissection after fabrication. Since these cuts are single denuded muscles, there was no refuse (bone, heavy connective tissue, or external fat) to remove.

### *NDI Study*

As with the 1/8 Inch Study, all cuts, both raw and cooked, were carefully dissected to separate and weigh the various cut components. These components include separable lean, external and seam fat, seam fat, and waste such as bone and heavy (non-edible) connective tissue. The separable lean includes muscle, intramuscular fat and connective tissue that are considered edible. External trim fat is fat on the outside of the cut. Seam fat refers to intermuscular fat deposits within the cut.

## **Compositing**

### *1/8 Inch Study*

Separable fat from all cuts were pooled to form raw and cooked fat composites. Both external and seam fat were included in these composites. The frozen dissected separable lean was placed in a Cuisinart® food processor and homogenized for 35 seconds. Sample aliquots were frozen at -10°C until analyzed.

### *BVC Study*

Frozen samples, both raw and cooked, were individually homogenized in preparation for analysis of proximate nutrients (moisture, total fat, ash, and protein) and cholesterol. These individual samples were composited for other nutrient analyses. The raw samples and cooked samples were prepared and retained separately by cut and cooking method.

### *NDI Study*

All beef cuts, both raw and cooked were frozen with liquid nitrogen, individually homogenized and analyzed for proximates at each respective university. The samples from CSU and TAMU were then shipped to TTU for compositing with the same cuts from all universities prior to analysis for other nutrients, using a statistically designed plan.

## **Nutrient Analysis**

### *1/8 Inch Study*

Individual samples, cooked and raw, were evaluated for the following food components: separable lean, external trim fat, seam fat, and waste (bone and heavy connective tissue). Cooking yields were also calculated based on initial (raw) and final cooked weights. Proximate nutrients (moisture, total fat, ash, and protein) were determined on individual samples and composites of the separable fat. Raw and cooked samples of separable fat and the separable lean from the arm roast, bottom round steak, and top loin steak (trimmed to 1/8 inch external fat) were also analyzed for minerals (calcium, magnesium, potassium, manganese, iron, phosphorus, sodium, copper, zinc and selenium) and vitamins (niacin, thiamin, riboflavin, vitamins B6 and B12). Samples of the separable fat and the separable lean from the raw and cooked arm roast were analyzed for vitamins A and E, total folate, and pantothenic acid. Raw samples from the arm roast were analyzed for amino acids. Data were released in SR16 (2003).

### *BVC Study*

Proximate nutrients (moisture, total fat, ash, and protein) and cholesterol were determined on individual muscle samples from the chuck clod, bottom round, and the knuckle, both raw and cooked. Two composites composed of up to four samples each were analyzed for fatty acids, B vitamins (niacin, thiamin, riboflavin, vitamins B6 and B12), and minerals (calcium, magnesium, potassium, manganese, iron, phosphorus, sodium, copper, zinc and selenium) for each muscle group. A single nationally representative composite composed of three samples was used for analysis of choline, total folate, vitamins E and K for each muscle group. Cooking yields were also calculated based on initial (raw) and final cooked weights from all samples. These data were disseminated in SR18 (2006).

### *NDI Study*

At the animal level (that is, for each sample) proximate nutrients (fat, moisture, protein, and ash) were analyzed. At the next level, the six-composite level, the following nutrients were analyzed: Proximates, fatty acids, CLAs, total cholesterol, ICP minerals, selenium, vitamin E, vitamin D and the "Group A" B-vitamins which included B6, B12, riboflavin, and niacin. At the three-composite level, amino acids and retinol were analyzed. At the final national composite level, total choline and the "Group B" B-vitamins which were thiamin and pantothenic acid, were analyzed. The fat samples were analyzed for all nutrients.

The techniques for analyzing the proximate nutrients were as follows: Protein by combustion (Dumus), total fat by chloroform/methanol extraction or acid hydrolysis, ash by gravimetric, and



moisture by forced air. The minerals calcium, magnesium, iron, zinc, copper, and manganese, were analyzed by atomic absorption spectroscopy (AAS), potassium and sodium by emission spectrometry, phosphorous colorimetrically, and selenium by hydride generation. Retinol, vitamin E, and vitamin D were analyzed by high-performance liquid chromatography (HPLC). Choline was analyzed by liquid chromatography-electrospray ionization-isotope dilution mass spectrometry (LC/ESI/IDMS). Thiamin was analyzed by fluorometric methods; microbiological methods were used for riboflavin, niacin, pantothenic acid, vitamin B6, and vitamin B12. Tryptophan was analyzed by alkaline hydrolysis- HPLC, cystine and methionine by performic oxidation-HPLC, hydroxyproline was analyzed colorimetrically, and all other amino acids by acid hydrolysis-HPLC. Cholesterol was analyzed by gas chromatographic (GC) with direct saponification, and fatty acids by gas-liquid chromatography (GLC). Details of analytical methods used in these studies are presented in Appendix A.

#### Nutrient Data Quality Control:

- Quality control samples were included with each batch of 10 to 20 samples;
- Laboratories were expected to run their own in-house control materials and to report those results;
- Quality control samples included materials developed by NDL cooperating laboratories and characterized with concurrent analysis of certified reference materials, as well as certified reference materials themselves. Blind duplicates were randomly included along with the unknown samples;
- Only laboratories that NDL validated as having the ability to accurately analyze samples for nutrient content were used.

### **Table Format**

The table heading provides a general descriptive name for the food item, the Uniform Retail Meat Identity Standards (URMIS) number, and the unique Nutrient Databank number identifying the edible content of the cut, its preparation type, and cooking method: e.g., “lean and fat, raw”, “lean and fat, cooked, roasted” and “lean only, cooked, roasted”. Column 1 identifies the nutrient. The nutrient value unit is presented in column 2. Column 3 identifies the number of observations for each nutrient (N). An N of zero represents an estimated or calculated value. For raw preparations, nutrient values are expressed on a 100 g basis and 115 g basis (columns 4-5). The 115 g (4 oz) value represents the amount of raw product needed to yield 85 g (3 oz) of cooked product. For cooked preparations (columns 6-9), data are presented on a 100 g and 85 g basis, which equals a serving of cooked meat. Column 10 provides NDL source codes. A source code of 1 indicates analytical data, source code 4 represents imputed or calculated data, and source code 7 is used when the nutrient content is assumed to be zero. Appendix B provides analytical values for the proximate nutrients of the raw, separable lean component.

The beef cuts in this dataset release version 3.0 are as follows, with values for USDA grades Choice and Select presented for each cut:

Beef, round, outside round (Biceps femoris), steak, trimmed to 0" fat  
Beef, round, tip round, roast, trimmed to 0" fat  
Beef, loin, top sirloin, steak, trimmed to 1/8" fat  
Beef, loin, tenderloin, steak, trimmed to 0" fat  
Beef, loin, tenderloin, steak, trimmed to 1/8" fat  
Beef, flank, steak, trimmed to 0" fat  
Beef, loin, tri-tip, roast, trimmed to 0" fat  
Beef, chuck, shoulder clod, shoulder tender (Teres major), medallion, trimmed to 0" fat  
Beef, chuck, shoulder clod, top blade (Infraspinatus), steak, trimmed to 0" fat  
Beef, chuck, shoulder top and center (Triceps brachii), steak, trimmed to 0" fat  
Beef, shoulder pot roast, boneless, trimmed to 0" fat  
Beef, shoulder steak, boneless, trimmed to 0" fat  
Beef, chuck, mock tender steak, boneless, trimmed to 0" fat  
Beef, brisket, flat half, boneless, trimmed to 0" fat  
Beef, shoulder top blade steak, boneless, trimmed to 0" fat  
Beef, chuck, under blade center steak, Denver Cut (Serratus ventralis), steak, trimmed to 0" fat  
Beef, loin, top loin steak, trimmed to 0" fat  
Beef, loin, top loin steak, trimmed to 1/8" fat  
Beef, round, top round steak trimmed to 0" fat  
Beef, round, top round steak, trimmed to 1/8" fat  
Beef, round, eye of round steak, trimmed to 0" fat  
Beef, round, eye of round steak, trimmed to 1/8" fat  
Beef, chuck, short ribs, boneless, trimmed to 0" fat  
Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat

Appendix C lists the retail beef cuts for which FSIS requires nutrient labeling.

## **Data Dissemination**

The USDA Nutrient Data Set for Beef is presented as a PDF file. Adobe Acrobat Reader® is needed to view the report of the database. A Microsoft® Excel spreadsheet has also been prepared and is available for downloading from this web site (<http://www.ars.usda.gov/nutrientdata>). The user can download the data set, free of charge, onto his/her own computer for use with other programs. The tables in the Excel spreadsheet are in the same format and layout as those in the PDF file.

## **References**

Boleman SL, Boleman SJ, Morgan WW, Hale DS, Griffin DB, Savell JW, Ames RP, Smith MT, Tatum JD, Field TG, Smith GC, Gardener BA, Morgan JB, Northcutt-SL, Dolezal HG, Gill DR, and Ray FK. National Beef Quality Audit – 1995: Survey of producer- related defects and carcass quality and quantity attributes. J Anim Sci (1998) 76: 96-103.

## **References (continued)**

Wahrmund-Wyle JL, Harris KB, Savell JW. Beef retail cut composition: 1. Separable tissue components. *J Food Comp Anal* (2000) 13: 233-242.

Jones DK, Savell JW, Cross HR. Effects of fat trim on the composition of beef retail cuts — 3. Cooking yields and fat retention of the separable lean. *J Muscle Foods* (1992) 3: 73-81.

U.S. Department of Agriculture, Food Safety and Inspection Service (FSIS). 2012. Verifying Nutrition labeling for the major cuts of single-ingredient, raw meat and poultry products and ground or chopped meat and poultry products.

<http://www.fsis.usda.gov/OPPDE/rdad/FSISNotices/15-12.pdf> (Accessed 8/27/2013)

## **Acknowledgements**

The scientists from the following cooperating universities contributed to this work:

Department of Animal and Food Sciences, Texas Tech University, Lubbock, TX  
Department of Animal Science, Texas A&M University, College Station, TX  
Department of Animal Sciences, Colorado State University, Fort Collins, CO

The authors wish to thank David Haytowitz for his expert assistance in the preparation and release of this database and Larry Douglass for statistical analysis and guidance in developing the sampling plan.

**Beef, round, outside round, bottom round (Biceps femoris), steak, trimmed to 0" fat, select**

**Urmis No:** 1462

**NDB No:** 23051 Lean and Fat, raw; 23052 Lean and Fat, cooked, grilled

**Common names:** Western Griller

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Grilled)</i>		<i>Cooked (Grilled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	5	73	84	66	56	66	56	1
Energy	Kcal	0	129	148	166	141	166	141	4
Calories from fat	Kcal	0	34	40	47	40	47	40	4
Protein	g	5	22	25	28	24	28	24	1
Total lipid (fat)	g	5	4	4	5	4	5	4	1
Ash	g	5	1.06	1.21	1.20	1.02	1.20	1.02	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	5.3	6.1	4.8	4.1	4.8	4.1	1
Iron, Fe	mg	1	2.9	3.3	3.1	2.7	3.1	2.7	1
Sodium, Na	mg	1	62	71	60	51	60	51	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	1.4	1.6	1.7	1.5	1.7	1.5	4
Fatty acids, total trans	g	0	0.14	0.16	0.15	0.13	0.15	0.13	4
Cholesterol	mg	4	61	70	75	64	75	64	1
Magnesium, Mg	mg	1	24	28	26	22	26	22	1
Phosphorus, P	mg	1	217	250	237	201	237	201	1
Potassium, K	mg	1	360	414	368	313	368	313	1
Zinc, Zn	mg	1	4.3	5.0	5.7	4.8	5.7	4.8	1
Selenium, Se	mcg	1	30	35	41	35	41	35	1
Thiamin	mg	1	0.09	0.10	0.08	0.07	0.08	0.07	1
Riboflavin	mg	1	0.24	0.28	0.24	0.21	0.24	0.21	1
Niacin	mg	1	6.4	7.3	8.1	6.8	8.1	6.8	1
Pantothenic acid	mg	1	0.77	0.88	0.85	0.72	0.85	0.72	1
Vitamin B6	mg	1	0.72	0.83	0.66	0.56	0.66	0.56	1
Vitamin B12	mcg	1	3.6	4.2	4.4	3.7	4.4	3.7	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, round, outside round, bottom round (Biceps femoris), steak, trimmed to 0" fat, choice**

**Urmis No:** 2277

**NDB No:** 23049 Lean and Fat, raw; 23050 Lean and Fat, cooked, grilled

**Common names:** Western Griller

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Grilled)</i>		<i>Cooked (Grilled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	8	72	82	63	54	63	54	1
Energy	Kcal	0	150	173	191	162	191	162	4
Calories from fat	Kcal	0	59	68	75	64	75	64	4
Protein	g	8	21	24	27	23	27	23	1
Total lipid (fat)	g	8	7	8	8	7	8	7	1
Ash	g	8	1.04	1.19	1.14	0.97	1.14	0.97	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	4.6	5.3	4.9	4.1	4.9	4.1	1
Iron, Fe	mg	2	2.3	2.7	2.9	2.5	2.9	2.5	1
Sodium, Na	mg	2	63	72	57	48	57	48	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	2	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.3	2.6	3.0	2.5	3.0	2.5	4
Fatty acids, total trans	g	0	0.19	0.21	0.24	0.20	0.24	0.20	4
Cholesterol	mg	6	61	70	78	67	78	67	1
Magnesium, Mg	mg	2	24	28	25	22	25	22	1
Phosphorus, P	mg	2	209	240	232	197	232	197	1
Potassium, K	mg	2	338	388	361	306	361	306	1
Zinc, Zn	mg	2	3.8	4.3	4.8	4.1	4.8	4.1	1
Selenium, Se	mcg	2	33	38	45	38	45	38	1
Thiamin	mg	2	0.06	0.07	0.06	0.05	0.06	0.05	1
Riboflavin	mg	2	0.19	0.21	0.20	0.17	0.20	0.17	1
Niacin	mg	2	6.4	7.3	7.3	6.2	7.3	6.2	1
Pantothenic acid	mg	2	0.65	0.75	0.76	0.65	0.76	0.65	1
Vitamin B <sub>6</sub>	mg	2	0.72	0.83	0.68	0.58	0.68	0.58	1
Vitamin B <sub>12</sub>	mcg	2	4.7	5.4	3.8	3.3	3.8	3.3	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, round, tip round, roast, trimmed to 0" fat, select

Urmis No: 1525

NDB No: 13488 Lean and Fat, raw; 13423 Lean and Fat, cooked, roasted; 13426 Lean Only, cooked, roasted

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Roasted)</i>		<i>Cooked (Roasted)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	10	73	84	66	56	68	58	1
Energy	Kcal	0	145	167	181	154	149	127	4
Calories from fat	Kcal	0	57	65	68	58	39	33	4
Protein	g	10	21	24	27	23	27	23	1
Total lipid (fat)	g	10	6	7	8	6	4	4	1
Ash	g	10	1.01	1.16	1.12	0.95	1.16	0.99	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	22.9	26.3	6.8	5.8	5.9	5.0	4
Iron, Fe	mg	0	1.6	1.8	2.2	1.8	2.3	1.9	4
Sodium, Na	mg	0	58	67	35	30	36	31	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.5	2.9	2.8	2.4	1.6	1.3	4
Cholesterol	mg	0	61	70	76	65	71	61	4
Magnesium, Mg	mg	0	22	25	18	15	18	16	4
Phosphorus, P	mg	0	196	225	169	144	177	150	4
Potassium, K	mg	0	327	376	218	186	230	195	4
Zinc, Zn	mg	0	3.8	4.3	4.5	3.9	4.8	4.0	4
Selenium, Se	mcg	0	24	28	26	23	34	29	4
Thiamin	mg	0	0.09	0.1	0.07	0.06	0.07	0.06	4
Riboflavin	mg	0	0.11	0.13	0.13	0.11	0.15	0.13	4
Niacin	mg	0	6.1	7.0	4.5	3.8	4.7	4.0	4
Pantothenic acid	mg	0	0.59	0.68	0.52	0.44	0.68	0.58	4
Vitamin B <sub>6</sub>	mg	0	0.62	0.71	0.35	0.3	0.36	0.31	4
Vitamin B <sub>12</sub>	mcg	0	1.2	1.4	1.4	1.2	1.4	1.2	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, round, tip round, roast, trimmed to 0" fat, choice**

Urmis No: 2340

NDB No: 13487 Lean and Fat, raw; 13422 Lean and Fat, cooked, roasted; 13425 Lean Only, cooked, roasted

Common names:

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Roasted)		Cooked (Roasted)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	71	82	64	54	66	56	1
Energy	Kcal	0	156	179	196	166	176	150	4
Calories from fat	Kcal	0	70	80	80	68	58	49	4
Protein	g	10	20	23	27	23	28	24	1
Total lipid (fat)	g	10	8	9	9	8	6	5	1
Ash	g	10	0.99	1.14	1.10	0.94	1.12	0.95	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	15.1	17.4	5.8	5.0	5.7	4.9	4
Iron, Fe	mg	0	1.8	2.1	2.2	1.9	2.4	2.1	4
Sodium, Na	mg	0	51	59	35	30	36	31	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.1	3.5	3.3	2.8	2.3	2.0	4
Cholesterol	mg	0	63	73	80	68	76	65	4
Magnesium, Mg	mg	0	21	25	17	15	19	16	4
Phosphorus, P	mg	0	191	220	164	139	174	148	4
Potassium, K	mg	0	309	356	216	184	225	191	4
Zinc, Zn	mg	0	3.7	4.2	4.4	3.8	4.8	4.1	4
Selenium, Se	mcg	0	24	28	28	24	31	27	4
Thiamin	mg	0	0.08	0.09	0.06	0.05	0.06	0.05	4
Riboflavin	mg	0	0.14	0.16	0.15	0.13	0.17	0.14	4
Niacin	mg	0	6.1	7.1	4.9	4.2	5.3	4.5	4
Pantothenic acid	mg	0	0.59	0.68	0.53	0.45	0.54	0.46	4
Vitamin B <sub>6</sub>	mg	0	0.6	0.69	0.36	0.31	0.39	0.33	4
Vitamin B <sub>12</sub>	mcg	0	1.7	2.0	1.6	1.4	1.6	1.4	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, loin, top sirloin, steak, trimmed to 1/8" fat, select**

Urmis No: 1422

NDB No: 13934 Lean and Fat, raw; 13935 Lean and Fat, cooked, broiled; 23588 Lean Only, cooked, broiled

Common names:

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	67	77	60	51	65	56	1
Energy	Kcal	0	189	217	230	196	170	145	4
Calories from fat	Kcal	0	100	115	114	97	45	38	4
Protein	g	10	21	24	27	23	29	25	1
Total lipid (fat)	g	10	11	13	13	11	5	4	1
Ash	g	10	1.08	1.24	1.11	0.94	1.20	1.02	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	23.6	27.2	21.9	18.6	21.1	18.0	4
Iron, Fe	mg	0	1.5	1.7	1.7	1.4	1.8	1.5	4
Sodium, Na	mg	0	53	61	57	49	62	53	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	4.5	5.2	5.0	4.3	1.9	1.6	4
Cholesterol	mg	0	72	83	89	76	77	65	4
Magnesium, Mg	mg	0	21	25	23	20	25	22	4
Phosphorus, P	mg	0	194	223	217	184	238	203	4
Potassium, K	mg	0	321	369	345	294	386	328	4
Zinc, Zn	mg	0	3.5	4.1	4.9	4.2	5.4	4.6	4
Selenium, Se	mcg	0	24	28	29	25	37	31	4
Thiamin	mg	0	0.07	0.08	0.08	0.07	0.08	0.07	4
Riboflavin	mg	0	0.11	0.13	0.14	0.12	0.16	0.14	4
Niacin	mg	0	5.5	6.4	7.1	6.0	8.6	7.3	4
Pantothenic acid	mg	0	0.59	0.68	0.54	0.46	0.58	0.49	4
Vitamin B <sub>6</sub>	mg	0	0.57	0.66	0.59	0.5	0.65	0.55	4
Vitamin B <sub>12</sub>	mcg	0	1.0	1.1	1.4	1.2	1.4	1.2	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero



**Beef, loin, top sirloin, steak, trimmed to 1/8" fat, choice**

Urmis No: 2237

NDB No: 13931 Lean and Fat, raw; 13932 Lean and Fat, cooked, broiled; 23629 Lean Only, cooked, broiled

**Common names:**

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	65	75	57	48	63	54	1
Energy	Kcal	0	214	246	257	218	187	159	4
Calories from fat	Kcal	0	129	148	142	121	60	51	4
Protein	g	10	20	23	27	23	30	25	1
Total lipid (fat)	g	10	14	16	16	13	7	6	1
Ash	g	10	0.97	1.12	1.10	0.94	1.20	1.02	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	25.2	28.9	17.7	15.0	16.6	14.1	4
Iron, Fe	mg	0	1.5	1.7	1.8	1.5	2.0	1.7	4
Sodium, Na	mg	0	51	58	54	46	61	52	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	5.8	6.6	6.2	5.3	2.6	2.2	4
Cholesterol	mg	0	78	90	96	81	81	69	4
Magnesium, Mg	mg	0	20	23	22	18	25	21	4
Phosphorus, P	mg	0	181	208	201	171	231	196	4
Potassium, K	mg	0	309	356	327	278	369	314	4
Zinc, Zn	mg	0	3.6	4.1	4.8	4.1	5.6	4.7	4
Selenium, Se	mcg	0	22	25	29	25	34	29	4
Thiamin	mg	0	0.05	0.06	0.07	0.06	0.07	0.06	4
Riboflavin	mg	0	0.08	0.09	0.12	0.10	0.14	0.12	4
Niacin	mg	0	6.4	7.4	7.3	6.2	7.8	6.6	4
Pantothenic acid	mg	0	0.58	0.67	0.53	0.45	0.52	0.44	4
Vitamin B <sub>6</sub>	mg	0	0.54	0.62	0.53	0.45	0.55	0.47	4
Vitamin B <sub>12</sub>	mcg	0	1.1	1.3	1.8	1.5	1.6	1.4	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

# Beef, loin, tenderloin steak, boneless, trimmed to 0" fat, select

Urmis No: 1388

NDB No: 23344 Lean and Fat, raw; 13441 Lean and Fat, cooked, grilled; 13444 Lean only, cooked, grilled

Common names: Beef Medallions, Filet Mignon, Tenderloin Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	12	72	83	61	52	62	53	1
Energy	Kcal	0	142	163	202	172	198	168	4
Calories from fat	Kcal	0	54	62	72	61	63	54	4
Protein	g	12	22	25	31	26	31	26	1
Total lipid (fat)	g	12	6	7	8	7	7	6	1
Ash	g	12	1.09	1.25	1.36	1.16	1.37	1.16	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	13.9	16.0	13.2	11.2	13.5	11.5	4
Iron, Fe	mg	1	2.5	2.8	3.0	2.6	3.1	2.6	4
Sodium, Na	mg	1	42	48	54	50	55	47	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	12	14	22	19	6	6	4
Fatty acids, total saturated	g	0	2.1	2.4	3.0	2.6	2.9	2.5	4
Cholesterol	mg	0	62	71	93	79	93	79	1
Magnesium, Mg	mg	0	12	14	14	12	14	12	4
Phosphorus, P	mg	1	219	252	257	218	265	225	4
Potassium, K	mg	1	295	339	348	296	359	305	4
Zinc, Zn	mg	1	3.3	3.8	3.7	3.1	3.8	3.2	4
Selenium, Se	mcg	1	21	24	25	21	26	22	4
Thiamin	mg	0	0.06	0.07	0.07	0.06	0.08	0.07	4
Riboflavin	mg	2	0.33	0.38	0.39	0.33	0.41	0.35	4
Niacin	mg	2	5.1	45.8	5.7	4.8	5.9	5.0	4
Pantothenic acid	mg	0	0.38	0.44	0.43	0.37	0.49	0.42	4
Vitamin B <sub>6</sub>	mg	2	0.61	0.70	0.66	0.56	0.68	0.58	4
Vitamin B <sub>12</sub>	mcg	2	3.7	4.3	4.2	3.6	4.3	3.7	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, loin, tenderloin steak, boneless, trimmed to 0" fat, choice

Urmis No: 2203

NDB No: 23343 Lean and Fat, raw; 13440 Lean and Fat, cooked, grilled; 13443 Lean only, cooked, grilled

Common names: Beef Medallions, Filet Mignon, Tenderloin Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	71	82	60	51	60	51	1
Energy	Kcal	0	150	173	217	184	211	179	4
Calories from fat	Kcal	0	63	72	90	77	63	54	4
Protein	g	24	22	25	30	26	30	26	1
Total lipid (fat)	g	24	7	8	10	9	9	8	1
Ash	g	24	1.09	1.25	1.38	1.17	1.39	1.18	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	13.6	15.6	14.0	11.9	17.2	14.6	4
Iron, Fe	mg	2	2.5	2.9	3.3	2.8	4.1	3.5	4
Sodium, Na	mg	2	44	51	58	49	71	60	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	13	23	20	5	4	4
Fatty acids, total saturated	g	0	2.6	2.9	3.9	3.3	3.6	3.0	4
Cholesterol	mg	0	60	69	93	79	93	79	1
Magnesium, Mg	mg	2	12	14	19	16	23	20	4
Phosphorus, P	mg	2	209	240	258	219	321	273	4
Potassium, K	mg	2	280	322	356	303	443	377	4
Zinc, Zn	mg	2	3.2	3.7	4.5	3.8	5.6	4.8	4
Selenium, Se	mcg	2	19	22	25	21	31	26	4
Thiamin	mg	0	0.05	0.06	0.06	0.05	0.07	0.06	4
Riboflavin	mg	4	0.30	0.35	0.40	0.34	0.5	0.43	4
Niacin	mg	4	4.5	5.1	5.6	4.7	7.1	6.0	4
Pantothenic acid	mg	0	0.36	0.41	0.34	0.29	0.47	0.40	4
Vitamin B <sub>6</sub>	mg	4	0.60	0.69	0.71	0.60	0.87	0.74	4
Vitamin B <sub>12</sub>	mcg	4	3.4	3.9	4.1	3.5	5.2	4.4	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, loin, tenderloin, steak, trimmed to 1/8" fat, select

Urmis No: 1388

NDB No: 13923 Lean Only, raw; 13924 Lean and Fat, cooked, broiled; 23587 Lean Only, cooked, broiled

Common names: Beef Medallions, Filet Mignon, Tenderloin Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	61	71	57	48	63	53	1
Energy	Kcal	0	249	287	262	223	194	165	4
Calories from fat	Kcal	0	166	191	149	126	70	59	4
Protein	g	10	19	22	26	23	29	25	1
Total lipid (fat)	g	10	18	21	17	14	8	7	1
Ash	g	10	0.90	1.04	1.09	0.93	1.20	1.02	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	22.2	25.5	21.6	18.3	21.1	18.0	4
Iron, Fe	mg	0	1.4	1.6	1.6	1.4	1.8	1.5	4
Sodium, Na	mg	0	50	57	57	48	62	53	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	7.5	8.6	6.5	5.5	3.0	2.5	4
Cholesterol	mg	0	86	99	96	82	83	70	4
Magnesium, Mg	mg	0	20	23	23	19	25	22	4
Phosphorus, P	mg	0	182	209	214	182	238	203	4
Potassium, K	mg	0	300	346	340	289	386	328	4
Zinc, Zn	mg	0	3.3	3.8	4.9	4.1	5.4	4.6	4
Selenium, Se	mcg	0	23	26	29	25	37	31	4
Thiamin	mg	0	0.07	0.08	0.08	0.07	0.08	0.07	4
Riboflavin	mg	0	0.11	0.13	0.14	0.12	0.15	0.13	4
Niacin	mg	0	5.2	6.0	6.9	5.9	8.5	7.2	4
Pantothenic acid	mg	0	0.55	0.63	0.52	0.44	0.57	0.48	4
Vitamin B <sub>6</sub>	mg	0	0.54	0.62	0.58	0.49	0.64	0.54	4
Vitamin B <sub>12</sub>	mcg	0	0.9	1.1	1.4	1.2	1.4	1.2	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, loin, tenderloin, steak, trimmed to 1/8" fat, choice

Urmis No: 1388

NDB No: 13920 Lean Only, raw; 13921 Lean and Fat, cooked, broiled; 23628 Lean Only, cooked, broiled

Common names: Beef Medallions, Filet Mignon, Tenderloin Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	11	62	71	56	47	62	52	1
Energy	Kcal	0	246	283	273	232	206	175	4
Calories from fat	Kcal	0	161	185	160	136	82	70	4
Protein	g	11	20	23	26	22	29	25	1
Total lipid (fat)	g	11	18	21	18	15	9	8	1
Ash	g	11	0.94	1.08	1.01	0.86	1.10	0.94	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	24.7	28.4	17.2	14.6	16.0	13.6	4
Iron, Fe	mg	0	1.4	1.6	1.8	1.5	2.0	1.7	4
Sodium, Na	mg	0	50	57	52	44	59	51	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	7.2	8.3	7.0	6.0	3.5	3.0	4
Cholesterol	mg	0	85	98	99	84	85	72	4
Magnesium, Mg	mg	0	20	23	21	18	24	21	4
Phosphorus, P	mg	0	177	204	196	166	223	190	4
Potassium, K	mg	0	303	348	318	270	358	304	4
Zinc, Zn	mg	0	3.5	4.0	4.7	4.0	5.4	4.6	4
Selenium, Se	mcg	0	21	25	28	24	33	28	4
Thiamin	mg	0	0.05	0.06	0.07	0.06	0.08	0.07	4
Riboflavin	mg	0	0.08	0.09	0.12	0.1	0.15	0.13	4
Niacin	mg	0	6.4	7.4	7.2	6.1	8.6	7.3	4
Pantothenic acid	mg	0	0.58	0.67	0.52	0.44	0.57	0.48	4
Vitamin B <sub>6</sub>	mg	0	0.53	0.61	0.53	0.45	0.6	0.51	4
Vitamin B <sub>12</sub>	mcg	0	1.1	1.3	1.7	1.5	1.8	1.5	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, flank, steak, trimmed to 0" fat, select

Urmis No: 1584

NDB No: 13971 Lean and Fat, raw; 13949 Lean and Fat, cooked, broiled; 23655 Lean Only, cooked, broiled

### Common names:

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	72	83	65	55	66	56	1
Energy	Kcal	0	145	167	183	156	178	151	4
Calories from fat	Kcal	0	54	63	64	55	58	50	4
Protein	g	10	21	24	28	24	28	24	1
Total lipid (fat)	g	10	6	7	7	6	6	6	1
Ash	g	10	0.98	1.13	1.13	0.96	1.13	0.96	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	24.1	27.7	22.3	18.9	20.0	17.0	4
Iron, Fe	mg	0	1.5	1.8	1.7	1.4	1.7	1.5	4
Sodium, Na	mg	0	54	62	58	50	59	50	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.5	2.9	3.0	2.5	2.7	2.3	4
Cholesterol	mg	0	62	71	78	66	76	65	4
Magnesium, Mg	mg	0	22	25	24	20	24	20	4
Phosphorus, P	mg	0	197	227	220	187	226	192	4
Potassium, K	mg	0	326	375	351	299	365	311	4
Zinc, Zn	mg	0	3.6	4.1	5.0	4.3	5.1	4.3	4
Selenium, Se	mcg	0	25	28	30	25	35	30	4
Thiamin	mg	0	0.08	0.09	0.08	0.07	0.08	0.07	4
Riboflavin	mg	0	0.12	0.13	0.15	0.12	0.15	0.13	4
Niacin	mg	0	5.7	6.5	7.3	6.2	8.2	6.9	4
Pantothenic acid	mg	0	0.60	0.69	0.55	0.47	0.55	0.47	4
Vitamin B <sub>6</sub>	mg	0	0.59	0.67	0.61	0.52	0.62	0.53	4
Vitamin B <sub>12</sub>	mcg	0	1.0	1.2	1.4	1.2	1.3	1.1	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, flank, steak, trimmed to 0" fat, choice**

Urmis No: 2399

NDB No: 13065 Lean and Fat, raw; 13067 Lean and Fat, cooked, broiled; 13070 Lean Only, cooked, broiled

Common names:

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Broiled)</i>		<i>Cooked (Broiled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	10	69	80	63	54	64	54	1
Energy	Kcal	0	165	190	202	171	194	165	4
Calories from fat	Kcal	0	75	86	84	71	75	64	4
Protein	g	10	21	24	28	23	28	24	1
Total lipid (fat)	g	10	8	10	9	8	8	7	1
Ash	g	10	1.02	1.17	1.06	0.90	1.07	0.91	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	26.8	30.9	17.6	15.0	15.2	12.9	4
Iron, Fe	mg	0	1.6	1.8	1.8	1.5	1.8	1.6	4
Sodium, Na	mg	0	54	62	53	45	56	48	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.4	4.0	3.8	3.3	3.5	2.9	4
Cholesterol	mg	0	68	78	81	69	80	68	4
Magnesium, Mg	mg	0	22	25	22	18	23	20	4
Phosphorus, P	mg	0	193	222	201	170	211	179	4
Potassium, K	mg	0	330	379	326	277	338	287	4
Zinc, Zn	mg	0	3.8	4.4	4.8	4.1	5.1	4.3	4
Selenium, Se	mcg	0	23	27	29	25	31	27	4
Thiamin	mg	0	0.06	0.06	0.07	0.06	0.07	0.06	4
Riboflavin	mg	0	0.09	0.10	0.12	0.10	0.14	0.12	4
Niacin	mg	0	6.8	7.9	7.5	6.4	8.2	7.0	4
Pantothenic acid	mg	0	0.62	0.71	0.54	0.46	0.55	0.46	4
Vitamin B <sub>6</sub>	mg	0	0.57	0.66	0.55	0.47	0.58	0.49	4
Vitamin B <sub>12</sub>	mcg	0	1.2	1.4	1.8	1.5	1.7	1.5	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, loin, tri-tip, roast, trimmed to 0" fat, select**

Urmis No: 1429

NDB No: 13958 Lean and Fat, raw; 13957 Lean and Fat, cooked, roasted; 23649 Lean Only, cooked, roasted

**Common names:**

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Roasted)		Cooked (Roasted)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	71	81	63	54	66	56	1
Energy	Kcal	0	157	181	201	171	179	152	4
Calories from fat	Kcal	0	69	79	88	75	63	53	4
Protein	g	10	21	24	26	22	27	23	1
Total lipid (fat)	g	10	8	9	10	8	7	6	1
Ash	g	10	1.06	1.22	1.06	0.9	1.09	0.93	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	23.7	27.2	21.4	18.2	19.6	16.7	4
Iron, Fe	mg	0	1.5	1.7	1.6	1.4	1.7	1.4	4
Sodium, Na	mg	0	53	61	56	48	58	49	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.8	3.2	3.6	3.1	2.5	2.1	4
Cholesterol	mg	0	65	75	81	69	76	65	4
Magnesium, Mg	mg	0	21	25	23	19	24	20	4
Phosphorus, P	mg	0	194	223	212	180	222	188	4
Potassium, K	mg	0	321	369	338	287	359	305	4
Zinc, Zn	mg	0	3.5	4.1	4.8	4.1	5.0	4.3	4
Selenium, Se	mcg	0	24	28	29	24	34	29	4
Thiamin	mg	0	0.07	0.08	0.08	0.07	0.08	0.07	4
Riboflavin	mg	0	0.11	0.13	0.14	0.12	0.14	0.12	4
Niacin	mg	0	5.5	6.4	6.9	5.9	7.9	6.8	4
Pantothenic acid	mg	0	0.59	0.68	0.52	0.44	0.54	0.46	4
Vitamin B <sub>6</sub>	mg	0	0.57	0.66	0.58	0.49	0.6	0.51	4
Vitamin B <sub>12</sub>	mcg	0	1.0	1.1	1.4	1.2	1.3	1.1	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero



## Beef, loin, tri-tip, roast, trimmed to 0" fat, choice

Urmis No: 2244

NDB No: 13956 Lean and Fat, raw; 13955 Lean and Fat, cooked, roasted; 23647 Lean Only, cooked, roasted

Common names:

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Roasted)</i>		<i>Cooked (Roasted)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	9	69	80	62	53	64	54	1
Energy	Kcal	0	174	200	221	188	193	164	4
Calories from fat	Kcal	0	86	98	111	95	88	74	4
Protein	g	9	21	24	26	22	26	22	1
Total lipid (fat)	g	9	10	11	12	11	10	8	1
Ash	g	9	1.00	1.15	1.03	0.88	1.06	0.90	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	25.5	29.3	16.6	14.1	14.5	12.3	4
Iron, Fe	mg	0	1.5	1.7	1.7	1.4	1.8	1.5	4
Sodium, Na	mg	0	51	59	50	43	54	46	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.5	4.0	4.5	3.9	3.5	3.0	4
Cholesterol	mg	0	68	78	85	72	80	68	4
Magnesium, Mg	mg	0	21	24	20	17	22	19	4
Phosphorus, P	mg	0	183	211	189	161	202	172	4
Potassium, K	mg	0	313	360	308	261	324	275	4
Zinc, Zn	mg	0	3.6	4.2	4.5	3.8	4.9	4.2	4
Selenium, Se	mcg	0	22	25	27	23	30	25	4
Thiamin	mg	0	0.05	0.06	0.06	0.05	0.07	0.06	4
Riboflavin	mg	0	0.09	0.10	0.11	0.10	0.13	0.11	4
Niacin	mg	0	6.7	7.7	7.0	5.9	7.8	6.6	4
Pantothenic acid	mg	0	0.60	0.69	0.51	0.43	0.52	0.44	4
Vitamin B <sub>6</sub>	mg	0	0.56	0.64	0.51	0.43	0.55	0.47	4
Vitamin B <sub>12</sub>	mcg	0	1.1	1.3	1.7	1.4	1.6	1.4	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, shoulder clod, shoulder tender (Teres major), medallion, trimmed to 0" fat, select**

**Urmis No:** 1030

**NDB No:** 23036 Lean and Fat, raw; 23065 Lean and Fat, cooked, grilled;

**Common names:** Tender Medallions

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	5	73	84	66	56	66	56	1
Energy	Kcal	0	142	163	172	146	172	146	4
Calories from fat	Kcal	0	52	60	58	49	58	49	4
Protein	g	5	21	24	26	22	26	22	1
Total lipid (fat)	g	5	6	7	6	5	6	5	1
Ash	g	5	0.90	1.03	1.00	0.85	1.00	0.85	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	5.0	5.7	4.8	4.1	4.8	4.1	1
Iron, Fe	mg	1	2.4	2.7	2.6	2.2	2.6	2.2	1
Sodium, Na	mg	1	60	69	58	49	58	49	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.0	2.3	1.7	1.4	1.7	1.4	4
Fatty acids, total trans	g	0	0.21	0.24	0.18	0.15	0.18	0.15	4
Cholesterol	mg	4	58	67	80	68	80	68	1
Magnesium, Mg	mg	1	25	28	24	21	24	21	1
Phosphorus, P	mg	1	219	252	223	190	223	190	1
Potassium, K	mg	1	366	421	348	296	348	296	1
Zinc, Zn	mg	1	4.4	5.0	5.2	4.4	5.2	4.4	1
Selenium, Se	mcg	1	32	37	38	33	38	33	1
Thiamin	mg	1	0.09	0.10	0.07	0.06	0.07	0.06	1
Riboflavin	mg	1	0.27	0.31	0.35	0.30	0.35	0.30	1
Niacin	mg	1	5.6	6.4	5.5	4.7	5.5	4.7	1
Pantothenic acid	mg	1	0.92	1.06	0.85	0.72	0.85	0.72	1
Vitamin B <sub>6</sub>	mg	1	0.52	0.60	0.62	0.52	0.62	0.52	1
Vitamin B <sub>12</sub>	mcg	1	5.1	5.9	6.0	5.1	6.0	5.1	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, shoulder clod, shoulder tender (Teres major), medallion, trimmed to 0" fat, choice**

**Urmis No:** 1845

**NDB No:** 23034 Lean and Fat, raw; 23035 Lean and Fat, cooked, grilled

**Common names:** Tender Medallions

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	8	73	84	66	56	66	56	1
Energy	Kcal	0	145	167	181	154	181	154	4
Calories from fat	Kcal	0	57	66	69	59	69	59	4
Protein	g	8	21	24	26	22	26	22	1
Total lipid (fat)	g	8	6	7	8	7	8	7	1
Ash	g	8	0.91	1.05	1.03	0.88	1.03	0.88	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	4.7	5.4	5.3	4.5	5.3	4.5	1
Iron, Fe	mg	2	2.0	2.3	2.6	2.2	2.6	2.2	1
Sodium, Na	mg	2	59	68	60	51	60	51	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	2	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.3	2.7	2.7	2.3	2.7	2.3	4
Fatty acids, total trans	g	0	0.22	0.25	0.25	0.21	0.25	0.21	4
Cholesterol	mg	6	56	65	76	65	76	65	1
Magnesium, Mg	mg	2	23	27	25	22	25	22	1
Phosphorus, P	mg	2	200	229	227	193	227	193	1
Potassium, K	mg	2	339	390	361	306	361	306	1
Zinc, Zn	mg	2	4.0	4.6	5.3	4.5	5.3	4.5	1
Selenium, Se	mcg	2	31	35	39	33	39	33	1
Thiamin	mg	2	0.09	0.10	0.08	0.07	0.08	0.07	1
Riboflavin	mg	2	0.24	0.27	0.22	0.19	0.22	0.19	1
Niacin	mg	2	4.6	5.3	5.0	4.3	5.0	4.3	1
Pantothenic acid	mg	2	0.78	0.90	0.86	0.73	0.86	0.73	1
Vitamin B <sub>6</sub>	mg	2	0.52	0.59	0.59	0.50	0.59	0.50	1
Vitamin B <sub>12</sub>	mcg	2	4.0	4.6	4.7	4.0	4.7	4.0	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, shoulder clod, top blade (Infraspinatus), steak, trimmed to 0" fat, select**

**Urmis No:** 1166

**NDB No:** 23043 Lean and Fat, raw; 23044 Lean and Fat, cooked, grilled

**Common names:** Flat Iron Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	5	71	82	62	53	62	53	1
Energy	Kcal	0	166	191	212	180	212	180	4
Calories from fat	Kcal	0	83	95	104	88	104	88	4
Protein	g	5	19	22	25	21	25	21	1
Total lipid (fat)	g	5	9	11	12	10	12	10	1
Ash	g	5	0.94	1.08	0.93	0.79	0.93	0.79	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	6.3	7.3	5.5	4.7	5.5	4.7	1
Iron, Fe	mg	1	2.6	3.0	3.1	2.6	3.1	2.6	1
Sodium, Na	mg	1	75	86	76	64	76	64	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.5	4.0	4.4	3.8	4.4	3.8	4
Fatty acids, total trans	g	0	0.34	0.39	0.49	0.42	0.49	0.42	4
Cholesterol	mg	4	66	76	83	71	83	71	1
Magnesium, Mg	mg	1	23	26	24	20	24	20	1
Phosphorus, P	mg	1	198	228	211	179	211	179	1
Potassium, K	mg	1	324	373	333	283	333	283	1
Zinc, Zn	mg	1	7.5	8.6	9.6	8.2	9.6	8.2	1
Selenium, Se	mcg	1	32	36	39	33	39	33	1
Thiamin	mg	1	0.14	0.16	0.08	0.07	0.08	0.07	1
Riboflavin	mg	1	0.26	0.30	0.38	0.32	0.38	0.32	1
Niacin	mg	1	3.5	4.0	4.1	3.5	4.1	3.5	1
Pantothenic acid	mg	1	0.99	1.14	1.07	0.91	1.07	0.91	1
Vitamin B <sub>6</sub>	mg	1	0.36	0.41	0.41	0.35	0.41	0.35	1
Vitamin B <sub>12</sub>	mcg	1	5.2	6.0	6.2	5.3	6.2	5.3	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, shoulder clod, top blade (Infraspinatus), steak, trimmed to 0" fat, choice**

**Urmis No:** 1981

**NDB No:** 23041 Lean and Fat, raw; 23042 Lean and Fat, cooked, grilled

**Common names:** Flat Iron Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	8	7	81	62	53	62	53	1
Energy	Kcal	0	182	210	228	194	228	194	4
Calories from fat	Kcal	0	102	117	122	104	122	104	4
Protein	g	8	1	22	25	21	25	21	1
Total lipid (fat)	g	8	1	13	14	12	14	12	1
Ash	g	8	0.88	1.01	0.94	0.80	0.94	0.80	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	5.1	5.9	6.2	5.2	6.2	5.2	1
Iron, Fe	mg	2	2.2	2.6	2.8	2.4	2.8	2.4	1
Sodium, Na	mg	2	74	86	78	66	78	66	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	2	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	4.2	4.8	5.4	4.6	5.4	4.6	4
Fatty acids, total trans	g	0	0.39	0.45	0.52	0.44	0.52	0.44	4
Cholesterol	mg	6	65	75	83	70	83	70	1
Magnesium, Mg	mg	2	20	23	23	19	23	19	1
Phosphorus, P	mg	2	178	204	199	169	199	169	1
Potassium, K	mg	2	302	347	317	269	317	269	1
Zinc, Zn	mg	2	6.6	7.6	8.8	7.5	8.8	7.5	1
Selenium, Se	mcg	2	29	33	37	31	37	31	1
Thiamin	mg	2	0.08	0.09	0.07	0.06	0.07	0.06	1
Riboflavin	mg	2	0.21	0.24	0.25	0.21	0.25	0.21	1
Niacin	mg	2	3.4	3.9	3.7	3.2	3.7	3.2	1
Pantothenic acid	mg	2	0.93	1.07	0.88	0.75	0.88	0.75	1
Vitamin B <sub>6</sub>	mg	2	0.38	0.43	0.38	0.32	0.38	0.32	1
Vitamin B <sub>12</sub>	mcg	2	5.0	5.7	5.7	4.9	5.7	4.9	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, chuck, shoulder top and center (Triceps brachii), steak, trimmed to 0" fat, select

Urmis No: 1162

NDB No: 23039 Lean and Fat, raw; 23040 Lean and Fat, cooked, grilled

Common names: Ranch Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	5	73	83	65	55	65	55	1
Energy	Kcal	0	140	161	176	150	176	150	4
Calories from fat	Kcal	0	50	57	62	53	62	53	4
Protein	g	5	21	24	27	23	27	23	1
Total lipid (fat)	g	5	6	6	7	6	7	6	1
Ash	g	5	0.88	1.01	1.07	0.91	1.07	0.91	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	4.5	5.1	5.0	4.3	5.0	4.3	1
Iron, Fe	mg	1	2.6	3.0	3.2	2.8	3.2	2.8	1
Sodium, Na	mg	1	58	66	62	53	62	53	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	1.8	2.1	2.2	1.9	2.2	1.9	4
Fatty acids, total trans	g	0	0.19	0.22	0.24	0.21	0.24	0.21	4
Cholesterol	mg	4	58	67	77	66	77	66	1
Magnesium, Mg	mg	1	25	29	28	24	28	24	1
Phosphorus, P	mg	1	221	254	249	212	249	212	1
Potassium, K	mg	1	370	426	401	341	401	341	1
Zinc, Zn	mg	1	6.0	6.9	7.6	6.4	7.6	6.4	1
Selenium, Se	mcg	1	32	37	44	38	44	38	1
Thiamin	mg	1	0.09	0.10	0.09	0.08	0.09	0.08	1
Riboflavin	mg	1	0.25	0.29	0.34	0.29	0.34	0.29	1
Niacin	mg	1	5.3	6.1	5.5	4.7	5.5	4.7	1
Pantothenic acid	mg	1	0.86	0.99	0.95	0.81	0.95	0.81	1
Vitamin B <sub>6</sub>	mg	1	0.62	0.71	0.59	0.5	0.59	0.5	1
Vitamin B <sub>12</sub>	mcg	1	4.7	5.4	5.7	4.9	5.7	4.9	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, chuck, shoulder top and center (Triceps brachii), steak, trimmed to 0" fat, choice

Urmis No: 1977

NDB No: 23037 Lean and Fat, raw; 23038 Lean and Fat, cooked, grilled

Common names: Ranch Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	5	72	83	65	55	65	55	1
Energy	Kcal	0	143	164	184	157	184	157	4
Calories from fat	Kcal	0	55	63	73	62	73	62	4
Protein	g	5	20	23	26	22	26	22	1
Total lipid (fat)	g	5	6	7	8	7	8	7	1
Ash	g	5	0.91	1.05	1.03	0.88	1.03	0.88	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	4.5	5.2	4.8	4.1	4.8	4.1	1
Iron, Fe	mg	1	2.1	2.5	2.6	2.2	2.6	2.2	1
Sodium, Na	mg	1	61	70	59	50	59	50	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	1	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	2.1	2.4	3.0	2.6	3.0	2.6	4
Fatty acids, total trans	g	0	0.20	0.23	0.29	0.25	0.29	0.25	4
Cholesterol	mg	4	57	65	74	63	74	63	1
Magnesium, Mg	mg	1	24	27	24	21	24	21	1
Phosphorus, P	mg	1	212	243	223	190	223	190	1
Potassium, K	mg	1	347	399	342	290	342	290	1
Zinc, Zn	mg	1	5.3	6.0	6.9	5.8	6.9	5.8	1
Selenium, Se	mcg	1	30	34	40	34	40	34	1
Thiamin	mg	1	0.07	0.08	0.07	0.06	0.07	0.06	1
Riboflavin	mg	1	0.23	0.26	0.27	0.23	0.27	0.23	1
Niacin	mg	1	5.1	5.9	5.2	4.4	5.2	4.4	1
Pantothenic acid	mg	1	0.73	0.84	0.78	0.66	0.78	0.66	1
Vitamin B <sub>6</sub>	mg	1	0.67	0.77	0.57	0.48	0.57	0.48	1
Vitamin B <sub>12</sub>	mcg	1	3.6	4.1	4.6	3.9	4.6	3.9	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, shoulder pot roast, boneless, trimmed to 0" fat, select

Urmis No: 1132

NDB No : 23112 Lean and Fat, raw; 23133 Lean and Fat, cooked, braised; 23082 Lean Only, cooked, braised

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Braised)		Cooked (Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	73	84	60	51	61	52	1
Energy	Kcal	0	127	146	200	170	190	162	4
Calories from fat	Kcal	0	40	46	76	64	63	54	4
Protein	g	24	22	25	31	26	32	27	1
Total lipid (fat)	g	24	4	5	8	7	7	6	1
Ash	g	24	1.11	1.28	1.35	1.14	1.38	1.17	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2/2/4	11.6	13.3	12.9	10.9	12.9	11.0	1
Iron, Fe	mg	2/2/4	2.6	2.9	3.3	2.8	3.4	2.9	1
Sodium, Na	mg	2/2/4	70	81	62	53	63	53	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	12	13	24	20	7	6	4
Fatty acids, total saturated	g	0	1.9	2.2	2.9	2.5	2.2	1.9	4
Fatty acids, total trans	g	0	0.27	0.31	0.39	0.34	0.28	0.24	4
Cholesterol	mg	2	68	78	98	83	99	84	1
Magnesium, Mg	mg	2/2/4	26	29	26	22	27	23	1
Phosphorus, P	mg	2/2/4	233	268	228	194	234	199	1
Potassium, K	mg	2/2/4	383	440	352	299	360	306	1
Zinc, Zn	mg	2/2/4	6.9	7.9	9.3	7.9	9.5	8.1	1
Selenium, Se	mcg	2/2/4	24	27	37	31	37	32	1
Thiamin	mg	1	0.09	0.10	0.08	0.07	0.08	0.07	1
Riboflavin	mg	2/2/4	0.21	0.24	0.26	0.22	0.27	0.23	1
Niacin	mg	2/2/4	4.6	5.3	4.3	3.7	4.4	3.7	1
Pantothenic acid	mg	1	0.81	0.93	0.80	0.68	0.81	0.69	1
Vitamin B <sub>6</sub>	mg	2/2/4	0.60	0.68	0.58	0.49	0.59	0.50	1
Vitamin B <sub>12</sub>	mcg	2/2/4	2.8	3.3	3.4	2.9	3.4	2.9	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data. SC= 4 – Imputed data and # of observations set at 0. SC=7 - Assumed zero



## Beef, shoulder pot roast, boneless, trimmed to 0" fat, choice

Urmis No: 1132

NDB No : 23111 Lean and Fat, raw; 23132 Lean and Fat, cooked, braised; 23081 Lean Only, cooked, braised

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Braised)		Cooked (Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	46/48/48	72	83	59	51	60	51	1
Energy	Kcal	0	133	153	207	176	200	170	4
Calories from fat	Kcal	0	48	55	83	71	75	63	4
Protein	g	46/48/48	21	24	31	26	31	27	1
Total lipid (fat)	g	46/48/48	5	6	9	8	8	7	1
Ash	g	46/48/48	1.13	1.30	1.40	1.19	1.42	1.21	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	4/4/2	11.6	13.3	12.7	10.8	12.7	10.8	1
Iron, Fe	mg	4/4/2	2.7	3.1	3.7	3.1	3.8	3.2	1
Sodium, Na	mg	4/4/2	74	85	60	51	60	51	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	12	22	18	5	4	4
Fatty acids, total saturated	g	0	2.1	2.4	3.3	2.8	2.8	2.4	4
Fatty acids, total trans	g	0	0.25	0.28	0.38	0.32	0.31	0.26	4
Cholesterol	mg	4	64	74	98	83	98	83	1
Magnesium, Mg	mg	4/4/2	24	28	24	21	25	21	1
Phosphorus, P	mg	4/4/2	234	269	230	196	234	199	1
Potassium, K	mg	4/4/2	403	463	353	300	358	304	1
Zinc, Zn	mg	4/4/2	6.7	7.7	9.2	7.8	9.4	8.0	1
Selenium, Se	mcg	4/4/2	24	27	38	32	39	33	1
Thiamin	mg	1	0.09	0.10	0.08	0.07	0.08	0.07	1
Riboflavin	mg	4/4/2	0.21	0.24	0.28	0.24	0.28	0.24	1
Niacin	mg	4/4/2	4.5	5.2	4.9	4.1	4.9	4.2	1
Pantothenic acid	mg	1	0.76	0.87	0.82	0.70	0.83	0.71	1
Vitamin B <sub>6</sub>	mg	4/4/2	0.56	0.65	0.51	0.43	0.51	0.44	1
Vitamin B <sub>12</sub>	mcg	4/4/2	2.7	3.1	3.3	2.8	3.4	2.9	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data. SC= 4 – Imputed data and # of observations set at 0. SC=7 - Assumed zero

**Beef, shoulder steak, boneless, trimmed to 0" fat, select**

Urmis No: 1133

NDB No : 23112 Lean and Fat, raw; 23536 Lean and Fat, cooked, grilled; 13946 Lean Only, cooked, grilled

**Common names**

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Grilled)</i>		<i>Cooked (Grilled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	24	73	84	65	55	65	55	1
Energy	Kcal	0	127	146	169	144	169	144	4
Calories from fat	Kcal	0	40	46	55	47	46	40	4
Protein	g	24	22	25	28	24	29	24	1
Total lipid (fat)	g	24	4	5	6	5	5	4	1
Ash	g	24	1.11	1.28	1.24	1.05	1.25	1.06	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	11.6	13.3	12.4	10.5	12.4	10.6	1
Iron, Fe	mg	2	2.6	2.9	2.9	2.5	2.9	2.5	1
Sodium, Na	mg	2	70	81	67	57	68	58	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	12	13	21	18	6	5	4
Fatty acids, total saturated	g	0	1.9	2.2	2.6	2.2	2.2	1.9	4
Fatty acids, total trans	g	0	0.27	0.31	0.42	0.36	0.35	0.30	4
Cholesterol	mg	2	68	78	83	70	83	71	1
Magnesium, Mg	mg	2	26	29	24	21	25	21	1
Phosphorus, P	mg	2	233	268	245	208	249	212	1
Potassium, K	mg	2	383	440	366	311	371	316	1
Zinc, Zn	mg	2	6.9	7.9	8.3	7.0	8.4	7.2	1
Selenium, Se	mcg	2	24	27	31	26	31	27	1
Thiamin	mg	1	0.09	0.10	0.10	0.08	0.10	0.09	1
Riboflavin	mg	2	0.21	0.24	0.23	0.20	0.24	0.20	1
Niacin	mg	2	4.6	5.3	5.4	4.6	5.4	4.6	1
Pantothenic acid	mg	1	0.81	0.93	0.83	0.71	0.84	0.71	1
Vitamin B <sub>6</sub>	mg	2	0.60	0.68	0.66	0.56	0.67	0.57	1
Vitamin B <sub>12</sub>	mcg	2	2.8	3.3	3.6	3.0	3.6	3.1	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

## Beef, shoulder steak, boneless, trimmed to 0" fat, choice

Urmis No: 1133

NDB No : 23111 Lean and Fat, raw; 23533 Lean and Fat, cooked, grilled; 13943 Lean Only, cooked, grilled

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	46/48/48	72	83	64	54	64	55	1
Energy	Kcal	0	133	153	178	151	170	145	4
Calories from fat	Kcal	0	48	55	65	55	56	48	4
Protein	g	46/48/48	21	24	28	24	29	24	1
Total lipid (fat)	g	46/48/48	5	6	7	6	6	5	1
Ash	g	46/48/48	1.13	1.30	1.21	1.03	1.22	1.04	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	4	11.6	13.3	12.0	10.2	12.0	10.2	1
Iron, Fe	mg	4	2.7	3.1	2.9	2.5	2.9	2.5	1
Sodium, Na	mg	4	74	85	67	57	68	57	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	12	19	17	4	4	4
Fatty acids, total saturated	g	0	2.1	2.4	3.1	2.6	2.7	2.3	4
Fatty acids, total trans	g	0	0.25	0.28	0.37	0.31	0.30	0.25	4
Cholesterol	mg	4/4/3	64	74	81	68	81	68	1
Magnesium, Mg	mg	4	24	28	26	22	26	22	1
Phosphorus, P	mg	4	234	269	245	208	249	212	1
Potassium, K	mg	4	403	463	367	312	372	316	1
Zinc, Zn	mg	4	6.7	7.7	7.9	6.7	8.0	6.8	1
Selenium, Se	mcg	4	24	27	32	27	33	28	1
Thiamin	mg	1	0.09	0.10	0.08	0.07	0.08	0.07	1
Riboflavin	mg	4	0.21	0.24	0.22	0.18	0.22	0.19	1
Niacin	mg	4	4.5	5.2	5.6	4.7	5.6	4.8	1
Pantothenic acid	mg	1	0.76	0.87	0.73	0.62	0.74	0.63	1
Vitamin B <sub>6</sub>	mg	4	0.56	0.65	0.67	0.57	0.68	0.58	1
Vitamin B <sub>12</sub>	mcg	4	2.7	3.1	3.3	2.8	3.3	2.8	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

**Beef, chuck, mock tender steak, boneless, trimmed to 0" fat, select**

Urmis No: 1116

NDB No : 23124 Lean and Fat, raw; 23121 Lean and Fat, cooked, braised; 23085 Lean Only, cooked, braised

Common names: Beef, Chuck, Mock Tender Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Braised)		Cooked (Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	24/21/24	74	85	58	49	61	52	1
Energy	Kcal	0	122	140	211	180	181	154	4
Calories from fat	Kcal	0	38	43	50	42	49	42	4
Protein	g	24/21/24	21	24	32	27	33	28	1
Total lipid (fat)	g	24/21/24	4	5	9	8	5	5	1
Ash	g	24/21/24	1.11	1.28	1.71	1.46	1.69	1.44	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	11.0	12.7	14.8	12.6	14.9	12.7	1
Iron, Fe	mg	1	2.2	2.6	3.2	2.7	3.3	2.8	1
Sodium, Na	mg	1	76	87	69	59	70	59	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	13	25	21	7	6	4
Fatty acids, total saturated	g	0	2.0	2.3	3.3	2.8	2.2	1.9	4
Fatty acids, total trans	g	0	0.24	0.27	0.46	0.39	0.28	0.24	4
Cholesterol	mg	2	68	78	115	98	117	99	1
Magnesium, Mg	mg	1	24	27	22	19	23	20	1
Phosphorus, P	mg	1	215	247	230	195	239	203	1
Potassium, K	mg	1	341	392	288	245	298	253	1
Zinc, Zn	mg	1	7.9	9.0	10.3	8.8	10.8	9.1	1
Selenium, Se	mcg	1	25	29	39	33	41	34	1
Thiamin	mg	1	0.08	0.09	0.08	0.07	0.08	0.07	1
Riboflavin	mg	1	0.22	0.25	0.28	0.24	0.29	0.25	1
Niacin	mg	1	3.7	4.3	3.9	3.3	3.9	3.3	1
Pantothenic acid	mg	1	0.90	1.04	0.91	0.77	0.93	0.79	1
Vitamin B <sub>6</sub>	mg	1	0.45	0.51	0.40	0.34	0.41	0.35	1
Vitamin B <sub>12</sub>	mcg	1	3.0	3.4	4.3	3.7	4.5	3.8	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, chuck, mock tender steak, boneless, trimmed to 0" fat, choice

Urmis No: 1116

NDB No : 23123 Lean and Fat, raw; 23120 Lean and Fat, cooked, braised; 23084 Lean Only, cooked, braised

Common names: Beef, Chuck, Mock Tender Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Braised)</i>		<i>Cooked (Braised)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	48/41/48	73	84	57	48	59	50	1
Energy	Kcal	0	131	151	225	192	197	167	4
Calories from fat	Kcal	0	47	54	97	82	63	53	4
Protein	g	48/41/48	21	24	32	27	34	29	1
Total lipid (fat)	g	48/41/48	5	6	11	9	7	6	1
Ash	g	48/41/48	1.24	1.42	1.55	1.32	1.62	1.38	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	11.2	12.9	14.5	12.3	14.6	12.4	1
Iron, Fe	mg	2	2.5	2.9	3.4	2.9	3.5	3.0	1
Sodium, Na	mg	2	82	95	66	56	67	57	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	12	23	20	5	4	4
Fatty acids, total saturated	g	0	2.1	2.4	3.9	3.3	2.7	2.3	4
Fatty acids, total trans	g	0	0.22	0.26	0.49	0.41	0.28	0.24	4
Cholesterol	mg	4	67	77	112	95	113	96	1
Magnesium, Mg	mg	2	26	29	22	19	23	20	1
Phosphorus, P	mg	2	229	263	230	195	240	204	1
Potassium, K	mg	2	347	399	303	257	315	268	1
Zinc, Zn	mg	2	8.0	9.2	10.5	8.9	11.0	9.4	1
Selenium, Se	mcg	2	24	28	37	32	38	33	1
Thiamin	mg	1	0.08	0.09	0.09	0.07	0.09	0.08	1
Riboflavin	mg	2	0.21	0.25	0.28	0.23	0.29	0.24	1
Niacin	mg	2	3.5	4.0	3.8	3.2	3.9	3.3	1
Pantothenic acid	mg	1	0.81	0.94	0.90	0.77	0.93	0.79	1
Vitamin B <sub>6</sub>	mg	2	0.41	0.47	0.37	0.32	0.38	0.32	1
Vitamin B <sub>12</sub>	mcg	2	3.2	3.7	4.3	3.6	4.4	3.8	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

## Beef, brisket, flat half, boneless, trimmed to 0" fat, select

Urmis No: 1623

NDB No : 13983 Lean and Fat, raw; 13950 Lean and Fat, cooked, braised; 13485 Lean Only, cooked, braised

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Braised)</i>		<i>Cooked (Braised)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	12/10/10	71	81	59	50	60	51	1
Energy	Kcal	0	158	182	205	174	198	168	4
Calories from fat	Kcal	0	76	87	61	52	53	45	4
Protein	g	12/10/10	21	24	34	29	34	29	1
Total lipid (fat)	g	12/10/10	8	10	7	6	6	5	1
Ash	g	12/10/10	1.01	1.16	0.98	0.83	0.99	0.84	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2/0/0	12.5	14.4	19.8	16.8	17.2	14.6	1/4/4
Iron, Fe	mg	2/0/0	2.0	2.3	2.8	2.4	2.9	2.4	1/4/4
Sodium, Na	mg	2/0/0	82	94	57	48	56	48	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13	14	0	0	0	0	4
Fatty acids, total saturated	g	0	3.4	3.9	2.7	2.3	2.2	1.9	4
Cholesterol	mg	2/0/0	69	79	93	79	102	87	1/4/4
Magnesium, Mg	mg	2/0/0	22	26	22	19	23	19	1/4/4
Phosphorus, P	mg	2/0/0	206	237	208	177	214	182	1/4/4
Potassium, K	mg	2/0/0	336	386	275	233	279	238	1/4/4
Zinc, Zn	mg	2/0/0	5.1	5.8	8.0	6.8	8.4	7.1	1/4/4
Selenium, Se	mcg	2/0/0	25	29	33	28	39	33	1/4/4
Thiamin	mg	1/0/0	0.08	0.09	0.06	0.05	0.07	0.06	1/4/4
Riboflavin	mg	2/0/0	0.15	0.18	0.16	0.14	0.21	0.18	1/4/4
Niacin	mg	2/0/0	5.9	6.8	4.2	3.6	4.9	4.2	1/4/4
Pantothenic acid	mg	1/0/0	0.73	0.84	0.57	0.48	0.67	0.57	1/4/4
Vitamin B <sub>6</sub>	mg	2/0/0	0.60	0.69	0.29	0.25	0.31	0.26	1/4/4
Vitamin B <sub>12</sub>	mcg	2/0/0	1.9	2.2	1.9	1.6	2.3	1.9	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

**Beef, brisket, flat half, boneless, trimmed to 0" fat, choice**

Urmis No: 1623

NDB No : 13975 Lean and Fat, raw; 13165 Lean and Fat, cooked, braised; 13343 Lean Only, cooked, braised

**Common names**

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Braised)		Cooked (Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	24/10/10	69	80	58	50	59	50	1
Energy	Kcal	0	169	195	221	188	212	180	4
Calories from fat	Kcal	0	89	102	83	71	73	62	4
Protein	g	24/10/10	20	23	32	27	33	28	1
Total lipid (fat)	g	24/10/10	10	11	9	8	8	7	1
Ash	g	24/10/10	0.96	1.10	1.09	0.93	1.10	0.94	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	4/0/0	12.9	14.9	17.3	14.7	14.1	12.0	1/4/4
Iron, Fe	mg	4/0/0	2.0	2.3	2.8	2.3	2.8	2.4	1/4/4
Sodium, Na	mg	4/0/0	79	91	52	44	52	45	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	12	14	0	0	0	0	4
Fatty acids, total saturated	g	0	3.7	4.3	3.6	3.1	3.1	2.6	4
Cholesterol	mg	4/0/0	67	77	92	78	99	84	1/4/4
Magnesium, Mg	mg	4/0/0	22	25	21	18	21	18	1/4/4
Phosphorus, P	mg	4/0/0	212	244	191	163	198	168	1/4/4
Potassium, K	mg	4/0/0	349	402	254	216	256	217	1/4/4
Zinc, Zn	mg	4/0/0	4.9	5.7	7.2	6.1	7.6	6.5	1/4/4
Selenium, Se	mcg	4/0/0	22	25	29	25	32	27	1/4/4
Thiamin	mg	1/0/0	0.07	0.08	0.06	0.05	0.07	0.06	1/4/4
Riboflavin	mg	4/0/0	0.15	0.18	0.21	0.18	0.22	0.19	1/4/4
Niacin	mg	4/0/0	6.1	7.0	4.5	3.8	4.9	4.2	1/4/4
Pantothenic acid	mg	1/0/0	0.65	0.74	0.63	0.54	0.64	0.54	1/4/4
Vitamin B <sub>6</sub>	mg	4/0/0	0.59	0.67	0.31	0.26	0.32	0.27	1/4/4
Vitamin B <sub>12</sub>	mcg	4/0/0	1.7	1.9	2.6	2.2	2.5	2.2	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

## Beef, shoulder top blade steak, boneless, trimmed to 0" fat, select

Urmis No: 1144

NDB No : 13903 Lean and Fat, raw; 13862 Lean and Fat, cooked, braised; 13502 Lean Only, cooked, braised

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Braised)</i>		<i>Cooked (Braised)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	12	73	84	62	53	63	53	1
Energy	Kcal	0	137	158	194	165	187	159	4
Calories from fat	Kcal	0	56	64	84	71	75	64	4
Protein	g	12	20	23	28	24	28	24	1
Total lipid (fat)	g	12	6	7	9	8	8	7	1
Ash	g	12	1.24	1.43	1.25	1.07	1.27	1.08	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	12.2	14.0	14.0	11.9	14.0	11.9	1
Iron, Fe	mg	1	2.5	2.9	3.0	2.6	3.1	2.6	1
Sodium, Na	mg	1	86	99	88	75	89	76	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	12	13	22	19	7	6	4
Fatty acids, total saturated	g	0	2.7	3.1	3.9	3.3	3.5	2.9	4
Fatty acids, total trans	g	0	0.31	0.35	0.46	0.39	0.39	0.33	4
Cholesterol	mg	2	71	81	98	83	98	83	1
Magnesium, Mg	mg	1	20	23	24	20	24	21	1
Phosphorus, P	mg	1	210	241	224	191	228	193	1
Potassium, K	mg	1	343.5	395.1	388.2	329.9	393.8	334.7	1
Zinc, Zn	mg	1	7.8	9.0	9.7	8.3	9.9	8.4	1
Selenium, Se	mcg	1	24	27	32	27	32	27	1
Thiamin	mg	1	0.11	0.13	0.10	0.08	0.10	0.09	1
Riboflavin	mg	1	0.28	0.32	0.31	0.26	0.31	0.26	1
Niacin	mg	1	4.1	4.8	4.5	3.8	4.5	3.8	1
Pantothenic acid	mg	1	1.00	1.15	1.06	0.90	1.07	0.91	1
Vitamin B <sub>6</sub>	mg	1	0.39	0.45	0.40	0.34	0.40	0.34	1
Vitamin B <sub>12</sub>	mcg	1	4.4	5.0	5.3	4.5	5.4	4.5	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero



## Beef, shoulder top blade steak, boneless, trimmed to 0" fat, choice

Urmis No: 1144

NDB No : 13889 Lean and Fat, raw; 13650 Lean and Fat, cooked, braised; 13501 Lean Only, cooked, braised

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Braised)</i>		<i>Cooked (Braised)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	24	71	82	60	51	62	52	1
Energy	Kcal	0	152	174	220	187	202	171	4
Calories from fat	Kcal	0	71	82	110	94	88	75	4
Protein	g	24	20	23	28	23	28	24	1
Total lipid (fat)	g	24	8	9	12	10	10	8	1
Ash	g	24	0.99	1.13	1.02	0.87	1.04	0.88	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	12.1	13.9	13.8	11.7	13.8	11.8	1
Iron, Fe	mg	2	2.5	2.9	3.1	2.6	3.2	2.7	1
Sodium, Na	mg	2	81	93	84	71	85	72	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	13	21	18	5	4	4
Fatty acids, total saturated	g	0	3.5	4.0	5.0	4.2	4.0	3.4	4
Fatty acids, total trans	g	0	0.35	0.40	0.54	0.46	0.36	0.30	4
Cholesterol	mg	4	68	78	92	78	93	79	1
Magnesium, Mg	mg	2	19	22	22	19	23	20	1
Phosphorus, P	mg	2	199	229	217	184	226	192	1
Potassium, K	mg	2	336	386	374	318	389	330	1
Zinc, Zn	mg	2	7.5	8.7	9.4	8.0	9.8	8.4	1
Selenium, Se	mcg	2	22	25	30	26	31	27	1
Thiamin	mg	1	0.08	0.09	0.08	0.07	0.08	0.07	1
Riboflavin	mg	2	0.25	0.28	0.31	0.26	0.32	0.27	1
Niacin	mg	2	3.8	4.4	4.2	3.6	4.3	3.6	1
Pantothenic acid	mg	1	0.87	1.00	0.95	0.81	0.98	0.83	1
Vitamin B <sub>6</sub>	mg	2	0.41	0.48	0.38	0.32	0.39	0.33	1
Vitamin B <sub>12</sub>	mcg	2	4.3	4.9	4.9	4.2	5.1	4.3	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, under blade center steak, boneless, Denver Cut, trimmed to 0" fat, select**

**Urmis No:** 1098

**NDB No :** 23110 Lean and Fat, raw; 23107 Lean and Fat, cooked, grilled; 13354 Lean Only, cooked, grilled

**Common names:** Denver Cut

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	12	69	80	61	51	61	52	1
Energy	Kcal	0	172	197	215	183	209	178	4
Calories from fat	Kcal	12	95	109	110	94	103	88	4
Protein	g	12	19	22	26	22	27	23	1
Total lipid (fat)	g	12	11	12	12	10	11	10	1
Ash	g	12	0.91	1.04	1.01	0.86	1.02	0.86	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	11.5	13.2	16.0	13.6	16.1	13.7	1
Iron, Fe	mg	1	2.4	2.7	3.3	2.8	3.4	2.9	1
Sodium, Na	mg	1	76	87	73	62	74	62	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13	15	23	20	7	6	4
Fatty acids, total saturated	g	0	4.4	5.0	5.3	4.5	4.9	4.1	4
Cholesterol	mg	2	68	78	98	83	98	83	1
Magnesium, Mg	mg	1	20	23	23	19	23	20	1
Phosphorus, P	mg	1	181	209	198	169	202	171	1
Potassium, K	mg	1	320	368	301	256	306	260	1
Zinc, Zn	mg	1	7.5	8.6	10.2	8.7	10.4	8.8	1
Selenium, Se	mcg	1	21	24	28	24	28	24	1
Thiamin	mg	1	0.08	0.09	0.09	0.08	0.09	0.08	1
Riboflavin	mg	1	0.18	0.21	0.25	0.21	0.25	0.21	1
Niacin	mg	1	3.3	3.8	3.7	3.1	3.7	3.2	1
Pantothenic acid	mg	1	0.72	0.83	0.96	0.81	0.97	0.82	1
Vitamin B <sub>6</sub>	mg	1	0.42	0.48	0.46	0.39	0.46	0.39	1
Vitamin B <sub>12</sub>	mcg	1	3.2	3.7	4.2	3.6	4.3	3.6	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, chuck, under blade center steak, boneless, Denver Cut, trimmed to 0" fat, choice**

**Urmis No:** 1098

**NDB No:** 23109 Lean and Fat, raw; 23106 Lean and Fat, cooked, grilled; 13352 Lean Only, cooked, grilled

**Common names:** Denver Cut

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	67	77	58	49	59	50	1
Energy	Kcal	0	189	218	236	200	228	194	4
Calories from fat	Kcal	24	112	128	130	110	121	103	4
Protein	g	24	19	22	26	22	26	23	1
Total lipid (fat)	g	24	12	14	14	12	13	11	1
Ash	g	24	0.90	1.03	0.98	0.83	0.99	0.84	1
Carbohydrate, by difference	g	0	1	1	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	11.5	13.2	12.2	10.4	12.2	10.4	1
Iron, Fe	mg	1	2.4	2.7	3.3	2.8	3.3	2.8	1
Sodium, Na	mg	1	75	86	73	62	73	62	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13	15	22	19	5	4	4
Fatty acids, total saturated	g	0	5.1	5.9	6.0	5.1	5.6	4.7	4
Cholesterol	mg	4	70	80	89	76	89	76	1
Magnesium, Mg	mg	2	20	23	23	19	23	19	1
Phosphorus, P	mg	2	177	204	204	173	207	176	1
Potassium, K	mg	2	312	359	313	266	318	270	1
Zinc, Zn	mg	2	7.3	8.4	9.7	8.2	9.9	8.4	1
Selenium, Se	mcg	2	22	25	32	27	32	27	1
Thiamin	mg	1	0.08	0.09	0.09	0.08	0.09	0.08	1
Riboflavin	mg	2	0.20	0.22	0.24	0.20	0.24	0.21	1
Niacin	mg	2	3.3	3.8	3.6	3.0	3.6	3.1	1
Pantothenic acid	mg	1	0.85	0.98	0.86	0.73	0.87	0.74	1
Vitamin B <sub>6</sub>	mg	2	0.40	0.46	0.40	0.34	0.40	0.34	1
Vitamin B <sub>12</sub>	mcg	2	2.9	3.3	3.5	2.9	3.5	3.0	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

# Beef, loin, top loin steak, trimmed to 0" fat, select

Urmis No: 1404

NDB No: 23341 Lean and Fat, raw; 13447 Lean and Fat, cooked, grilled; 13450 Lean only, cooked, grilled

Common names: Kansas City Strip, New York Strip, Club Steak, Boneless Strip Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
					Cooked		Cooked		
			Raw		(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	12	70	81	62	53	63	54	1
Energy	Kcal	0	151	174	207	176	189	161	4
Calories from fat	Kcal	0	63	72	81	69	63	54	4
Protein	g	12	23	26	29	25	30	26	1
Total lipid (fat)	g	12	7	8	9	8	7	6	1
Ash	g	12	1.02	1.17	1.14	0.97	1.17	0.99	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	14.4	16.6	14.1	12	14.1	12	4
Iron, Fe	mg	1	1.7	2	3.2	2.8	3.3	2.8	4
Sodium, Na	mg	1	46	53	57	48	58	49	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13	15	21	18	6	5	4
Fatty acids, total saturated	g	0	3	3.5	3.7	3.1	2.7	2.3	4
Cholesterol	mg	2	63	72	85	72	86	73	4
Magnesium, Mg	mg	1	12	14	15	13	15	13	4
Phosphorus, P	mg	1	204	235	274	233	277	235	4
Potassium, K	mg	1	279	321	371	315	375	319	4
Zinc, Zn	mg	1	3.5	4	3.9	3.3	3.9	3.3	4
Selenium, Se	mcg	1	21	24	27	23	27	23	4
Thiamin	mg	0	0.06	0.07	0.07	0.06	0.08	0.07	4
Riboflavin	mg	2	0.21	0.24	0.42	0.36	0.4	0.34	4
Niacin	mg	2	6.3	7.2	6.1	5.2	6.2	5.3	4
Pantothenic acid	mg	0	0.39	0.45	0.41	0.35	0.5	0.43	4
Vitamin B6	mg	2	0.55	0.63	0.71	0.6	0.72	0.61	4
Vitamin B12	mcg	2	1.9	2.2	4.5	3.8	4.5	3.8	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

## Beef, loin, top loin steak, trimmed to 0" fat, choice

Urmis No: 2219

NDB No: 23340 Lean and Fat, raw; 13446 Lean and Fat, cooked, grilled; 13449 Lean only, cooked, grilled

Common names: Kansas City Strip, New York Strip, Club Steak, Boneless Strip Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
					Cooked		Cooked		
			Raw		(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	68	78	59	50	61	52	1
Energy	Kcal	0	171	197	233	198	211	179	4
Calories from fat	Kcal	0	81	93	117	99	90	77	4
Protein	g	24	22	25	28	24	29	25	1
Total lipid (fat)	g	24	9	10	13	11	10	9	1
Ash	g	24	0.98	1.13	1.11	0.94	1.14	0.97	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	15.3	17.6	14.2	12.1	13.9	11.8	4
Iron, Fe	mg	2	1.9	2.2	3.4	2.9	3.4	2.9	4
Sodium, Na	mg	2	45	52	59	50	59	50	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13	15	22	19	5	4	4
Fatty acids, total saturated	g	0	3.8	4.4	5.1	4.3	3.9	3.3	4
Cholesterol	mg	4	59	68	88	75	87	74	4
Magnesium, Mg	mg	2	11	13	19	16	19	16	4
Phosphorus, P	mg	2	198	228	262	223	268	228	4
Potassium, K	mg	2	271	312	361	307	367	312	4
Zinc, Zn	mg	2	3.6	4.1	4.6	3.9	4.4	3.7	4
Selenium, Se	mcg	2	20	23	26	22	26	22	4
Thiamin	mg	0	0.05	0.06	0.06	0.05	0.07	0.06	4
Riboflavin	mg	4	0.2	0.23	0.4	0.34	0.4	0.34	4
Niacin	mg	4	6.7	7.7	5.6	4.8	5.9	5	4
Pantothenic acid	mg	0	0.36	0.41	0.34	0.29	0.45	0.38	4
Vitamin B <sub>6</sub>	mg	4	0.57	0.66	0.71	0.6	0.72	0.61	4
Vitamin B <sub>12</sub>	mcg	4	1.7	2	4.1	3.5	4.3	3.7	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, loin, top loin, steak, trimmed to 1/8" fat, select

Urmis No: 1404

NDB No : 23387 Lean and Fat, raw; 23390 Lean and Fat, cooked, grilled; 23393 Lean Only, cooked, grilled

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Grilled)</i>		<i>Cooked (Grilled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	12	66	76	58	49	63	54	1
Energy	Kcal	0	191	220	247	210	184	156	4
Calories from fat	Kcal	0	108	124	135	115	63	54	4
Protein	g	12	22	25	27	23	30	26	1
Total lipid (fat)	g	12	12	14	15	13	7	6	1
Ash	g	12	0.97	1.12	1.08	0.92	1.17	0.99	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	15.1	17.4	14.3	12.2	13.2	11.2	1
Iron, Fe	mg	1	1.7	2.0	2.5	2.1	2.6	2.2	1
Sodium, Na	mg	1	45	52	50	43	51	43	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	14	16	25	21	7	6	4
Fatty acids, total saturated	g	0	5.2	6.0	6.1	5.2	2.7	2.3	4
Cholesterol	mg	2	64	74	81	69	80	68	1
Magnesium, Mg	mg	1	11	13	21	18	24	20	1
Phosphorus, P	mg	1	191	220	223	190	236	201	1
Potassium, K	mg	1	258	297	282	240	315	268	1
Zinc, Zn	mg	1	3.2	3.7	4.3	3.7	4.8	4.1	1
Selenium, Se	mcg	1	20	23	26	22	29	25	1
Thiamin	mg	1	0.06	0.07	0.06	0.05	0.07	0.06	1
Riboflavin	mg	2	0.20	0.23	0.21	0.18	0.23	0.20	1
Niacin	mg	2	5.9	6.8	6.5	5.5	7.1	6.0	1
Pantothenic acid	mg	1	0.37	0.43	0.38	0.32	0.39	0.33	1
Vitamin B <sub>6</sub>	mg	1	0.52	0.60	0.66	0.56	0.73	0.62	1
Vitamin B <sub>12</sub>	mcg	2	1.8	2.1	2.0	1.7	2.1	1.8	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, loin, top loin, steak, trimmed to 1/8" fat, choice**

Urmis No: 2219

NDB No : 23395 Lean and Fat, raw; 23389 Lean and Fat, cooked, grilled; 23392 Lean Only, cooked, grilled

Common names: Kansas City Strip, New York Strip, Club Steak, Boneless Strip Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Grilled)		Cooked (Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	65	75	55	47	61	52	1
Energy	Kcal	0	205	236	275	234	208	177	4
Calories from fat	Kcal	0	117	135	171	145	90	77	4
Protein	g	24	21	24	26	22	29	25	1
Total lipid (fat)	g	24	13	15	19	16	10	9	1
Ash	g	24	0.94	1.08	1.04	0.88	1.13	0.96	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	15.8	18.2	13.9	11.8	12.7	10.8	1
Iron, Fe	mg	2	1.9	2.2	2.5	2.1	2.6	2.2	1
Sodium, Na	mg	2	44	51	54	46	56	48	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	13.8	15.9	24.1	20.5	4.8	4.1	4
Fatty acids, total saturated	g	0	5.7	6.6	7.5	6.4	3.9	3.3	4
Cholesterol	mg	4	61	70	81	69	80	68	1
Magnesium, Mg	mg	2	10	12	20	17	22	19	1
Phosphorus, P	mg	2	187	215	212	180	226	192	1
Potassium, K	mg	2	253	291	259	220	293	249	1
Zinc, Zn	mg	2	3.3	3.8	4.1	3.5	4.7	4.0	1
Selenium, Se	mcg	2	19	22	24	20	27	23	1
Thiamin	mg	1	0.05	0.06	0.06	0.05	0.06	0.05	1
Riboflavin	mg	4	0.18	0.21	0.19	0.16	0.21	0.18	1
Niacin	mg	4	6.3	7.2	6.7	5.7	7.5	6.4	1
Pantothenic acid	mg	4	0.34	0.39	0.31	0.26	0.32	0.27	1
Vitamin B <sub>6</sub>	mg	4	0.54	0.62	0.64	0.54	0.71	0.60	1
Vitamin B <sub>12</sub>	mcg	4	1.6	1.8	1.8	1.5	1.9	1.6	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

**Beef, round, top round steak, boneless, trimmed to 0" fat, select**

**Urmis No:** 1553

**NDB No :** 23326 Lean and Fat, raw; 13969 Lean and Fat, cooked, grilled; 13491 Lean Only, cooked, grilled

**Common names:** Top Round Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	12/0/0	73	84	66	56	64	54	1/4/4
Energy	Kcal	0	120	138	162	138	162	138	4
Calories from fat	Kcal	0	27	31	35	30	34	29	4
Protein	g	12/0/0	23	26	30	26	30	26	1/4/4
Total lipid (fat)	g	12/0/0	2.85	3.28	3.85	3.27	3.77	3.20	1/4/4
Ash	g	12/0/0	1.11	1.28	1.25	1.06	1.29	1.10	1/4/4
Carbohydrate, by difference	g	0	0	0	0	0	0	0	4/7/7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1/0/0	13.5	15.5	18.7	15.9	18.2	15.5	1/4/4
Iron, Fe	mg	1/0/0	2.3	2.6	3.2	2.7	3.2	2.7	1/4/4
Sodium, Na	mg	1/0/0	54	62	76	65	75	64	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	13	16	14	9	8	4
Fatty acids, total saturated	g	0	1.1	1.3	1.5	1.3	1.6	1.4	4
Cholesterol	mg	2/0/0	63	72	88	75	86	73	1/4/4
Magnesium, Mg	mg	1/0/0	12	14	16	14	17	14	1/4/4
Phosphorus, P	mg	1/0/0	219	252	304	258	306	260	1/4/4
Potassium, K	mg	1/0/0	314	361	436	371	435	370	1/4/4
Zinc, Zn	mg	1/0/0	3.5	4.0	4.9	4.2	5.1	4.3	1/4/4
Selenium, Se	mcg	1/0/0	23	26	31	26	31	26	1/4/4
Thiamin	mg	1/0/0	0.06	0.07	0.09	0.08	0.09	0.08	1/4/4
Riboflavin	mg	2/0/0	0.25	0.29	0.35	0.30	0.33	0.28	1/4/4
Niacin	mg	2/0/0	6.1	7.0	8.5	7.2	9.0	7.6	1/4/4
Pantothenic acid	mg	1/0/0	0.37	0.43	0.51	0.43	0.50	0.42	1/4/4
Vitamin B <sub>6</sub>	mg	1/0/0	0.62	0.71	0.87	0.74	0.88	0.75	1/4/4
Vitamin B <sub>12</sub>	mcg	2/0/0	1.6	1.8	2.3	2.0	2.3	1.9	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero



## Beef, round, top round steak, boneless, trimmed to 0" fat, choice

Urmis No: 1553

NDB No : 23325 Lean and Fat, raw; 13968 Lean and Fat, cooked, grilled; 13492 Lean Only, cooked, grilled

### Common names

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
			100g	115g	100g	85g	100g	85g	
Water	g	24/0/0	72	83	64	54	64	54	1/4/4
Energy	Kcal	24/0/0	127	146	170	145	166	141	1/4/4
Calories from fat	Kcal	0	33	38	42	35	37	31	4
Protein	g	24/0/0	23	26	30	26	30	26	1/4/4
Total lipid (fat)	g	24/0/0	3.66	4.21	4.62	3.93	4.11	3.49	1/4/4
Ash	g	24/0/0	1.12	1.29	1.21	1.03	1.22	1.04	1/4/4
Carbohydrate, by difference	g	0	0	0	0	0	0	0	4/7/7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2/0/0	13.1	15.1	18.1	15.4	18.1	15.4	1/4/4
Iron, Fe	mg	2/0/0	2.3	2.6	3.3	2.8	3.3	2.8	1/4/4
Sodium, Na	mg	2/0/0	56	64	78	66	78	66	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	13	15	13	9	8	4
Fatty acids, total saturated	g	0	1.4	1.6	2.0	1.7	1.7	1.5	4
Cholesterol	mg	0	62	71	86	73	85	73	4
Magnesium, Mg	mg	2/0/0	12	14	17	14	17	15	1/4/4
Phosphorus, P	mg	2/0/0	220	253	305	259	307	261	1/4/4
Potassium, K	mg	2/0/0	307	353	426	363	429	365	1/4/4
Zinc, Zn	mg	2/0/0	3.8	4.4	5.2	4.4	5.2	4.5	1/4/4
Selenium, Se	mcg	2/0/0	22	25	30	26	30	26	1/4/4
Thiamin	mg	1/0/0	0.06	0.07	0.09	0.08	0.09	0.08	1/4/4
Riboflavin	mg	4/0/0	0.23	0.26	0.31	0.27	0.31	0.27	1/4/4
Niacin	mg	4/0/0	6.6	7.6	9.2	7.8	9.3	7.9	1/4/4
Pantothenic acid	mg	4/0/0	0.35	0.40	0.49	0.41	0.49	0.41	1/4/4
Vitamin B <sub>6</sub>	mg	4/0/0	0.64	0.73	0.89	0.75	0.89	0.76	1/4/4
Vitamin B <sub>12</sub>	mcg	4/0/0	1.7	1.9	2.3	2.0	2.3	2.0	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC = 1 – Analytical data, SC = 4 – Imputed data and # of observations set at 0, SC = 7 - Assumed zero

**Beef, round, top round, steak, trimmed to 1/8" fat, select**

Urmis No: 1553

NDB No : 13898 Lean and Fat, raw; 13900 Lean and Fat, cooked, broiled; 23592 Lean Only, cooked, broiled

**Common names:** London Broil, Minute Steak, Round Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	69	80	61	52	63	53	1
Energy	Kcal	0	164	189	201	171	177	150	4
Calories from fat	Kcal	0	69	79	70	59	42	36	4
Protein	g	10	22	26	31	26	32	27	1
Total lipid (fat)	g	10	8	9	8	7	5	4	1
Ash	g	10	1.08	1.24	1.14	0.97	1.17	0.99	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	25.0	28.8	8.0	6.8	7.0	6.0	4
Iron, Fe	mg	0	1.7	2.0	2.5	2.1	2.7	2.3	4
Sodium, Na	mg	0	63	72	41	35	43	37	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.0	3.5	2.9	2.5	1.6	1.4	4
Cholesterol	mg	0	68	78	87	74	82	70	4
Magnesium, Mg	mg	0	24	28	21	18	22	19	4
Phosphorus, P	mg	0	214	246	198	168	207	176	4
Potassium, K	mg	0	357	411	256	218	270	230	4
Zinc, Zn	mg	0	4.1	4.7	5.3	4.5	5.6	4.7	4
Selenium, Se	mcg	0	26	30	31	26	40	34	4
Thiamin	mg	0	0.09	0.10	0.08	0.07	0.08	0.06	4
Riboflavin	mg	0	0.12	0.14	0.15	0.13	0.17	0.15	4
Niacin	mg	0	6.5	7.5	5.2	4.4	5.4	4.6	4
Pantothenic acid	mg	0	0.63	0.72	0.61	0.51	0.62	0.53	4
Vitamin B <sub>6</sub>	mg	0	0.66	0.76	0.40	0.34	0.42	0.35	4
Vitamin B <sub>12</sub>	mcg	0	1.3	1.5	1.6	1.3	1.6	1.4	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

**Beef, round, top round, steak, trimmed to 1/8" fat, choice**

Urmis No: 2368

NDB No : 13894 Lean and Fat, raw; 13896 Lean and Fat, cooked, broiled; 23621 Lean Only, cooked, broiled

Common names: London Broil, Minute Steak, Round Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Broiled)</i>		<i>Cooked (Broiled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	10	69	79	58	50	61	52	1
Energy	Kcal	0	168	193	224	190	193	164	4
Calories from fat	Kcal	0	74	85	92	79	56	48	4
Protein	g	10	22	25	31	26	32	27	1
Total lipid (fat)	g	10	8	9	10	9	6	5	1
Ash	g	10	1.11	1.28	1.18	1.00	1.23	1.05	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	17.0	19.6	7.0	6.0	7.0	6.0	4
Iron, Fe	mg	0	2.0	2.3	2.5	2.2	2.8	2.4	4
Sodium, Na	mg	0	57	66	40	34	42	36	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	3.2	3.7	3.9	3.3	2.2	1.8	4
Cholesterol	mg	0	69	79	92	78	86	73	4
Magnesium, Mg	mg	0	24	28	20	17	22	19	4
Phosphorus, P	mg	0	211	243	187	159	203	173	4
Potassium, K	mg	0	341	392	248	211	263	224	4
Zinc, Zn	mg	0	4.1	4.7	5.1	4.3	5.6	4.8	4
Selenium, Se	mcg	0	27	31	32	28	37	31	4
Thiamin	mg	0	0.08	0.10	0.06	0.05	0.07	0.06	4
Riboflavin	mg	0	0.15	0.17	0.17	0.15	0.20	0.17	4
Niacin	mg	0	6.7	7.7	5.6	4.7	6.2	5.2	4
Pantothenic acid	mg	0	0.64	0.74	0.60	0.51	0.63	0.53	4
Vitamin B <sub>6</sub>	mg	0	0.65	0.75	0.40	0.34	0.45	0.38	4
Vitamin B <sub>12</sub>	mcg	0	1.9	2.1	1.8	1.6	1.9	1.6	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, round, eye of round steak, boneless, trimmed to 0" fat, select

Urmis No: 1481

NDB No : 23335 Lean and Fat, raw; 23353 Lean and Fat, cooked, grilled; 23383 Lean Only, cooked, grilled

Common names : Eye of Round Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
			100g	115g	(Grilled)		(Grilled)		
			100g	85g	100g	85g			
Water	g	12/0/0	73	84	66	56	66	56	1/4/4
Energy	Kcal	0	120	138	154	131	149	127	4
Calories from fat	Kcal	0	27	30	36	30	31	26	4
Protein	g	12/0/0	23	27	29	25	30	25	1/4/4
Total lipid (fat)	g	12/0/0	2.95	3.39	3.98	3.38	3.43	2.92	1/4/4
Ash	g	12/0/0	1.08	1.24	1.22	1.04	1.19	1.01	1/4/4
Carbohydrate, by difference	g	0	0	0	0	0	0	0	4
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1/0/0	12.6	14.5	16.4	14.0	16.3	13.9	1/4/4
Iron, Fe	mg	1/0/0	1.4	1.6	1.8	1.5	1.8	1.5	1/4/4
Sodium, Na	mg	1/0/0	50	57	65	55	65	55	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	17	19	22	18	9	7	4
Fatty acids, total saturated	g	0	1.2	1.4	1.6	1.3	1.3	1.1	4
Cholesterol	mg	2/0/0	62	72	81	69	81	69	1/4/4
Magnesium, Mg	mg	1/0/0	11	13	15	13	15	13	1/4/4
Phosphorus, P	mg	1/0/0	221	254	287	244	289	245	1/4/4
Potassium, K	mg	1/0/0	310	356	402	342	405	344	1/4/4
Zinc, Zn	mg	1/0/0	3.4	3.9	4.4	3.7	4.4	3.7	1/4/4
Selenium, Se	mcg	1/0/0	22	25	29	24	29	25	1/4/4
Thiamin	mg	0	0.06	0.07	0.08	0.07	0.08	0.07	4
Riboflavin	mg	2/0/0	0.18	0.21	0.24	0.20	0.24	0.20	1/4/4
Niacin	mg	2/0/0	6.6	7.5	8.5	7.2	8.6	7.3	1/4/4
Pantothenic acid	mg	0	0.37	0.42	0.48	0.40	0.48	0.41	4
Vitamin B <sub>6</sub>	mg	2/0/0	0.63	0.73	0.82	0.70	0.83	0.70	1/4/4
Vitamin B <sub>12</sub>	mcg	2/0/0	2.1	2.4	2.7	2.3	2.7	2.3	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

# Beef, round, eye of round steak, boneless, trimmed to 0" fat, choice

Urmis No: 2296

NDB No : 23334 Lean and Fat, raw; 23352 Lean and Fat, cooked, grilled; 23382 Lean Only, cooked, grilled

Common names : Eye of Round Steak

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Grilled)		(Grilled)		
			100g	115g	100g	85g	100g	85g	
Water	g	24/0/0	73	84	65	55	65	55	1/4/4
Energy	Kcal	0	127	147	163	138	158	134	4
Calories from fat	Kcal	0	34	40	43	37	38	33	4
Protein	g	24/0/0	23	27	30	25	30	25	1/4/4
Total lipid (fat)	g	24/0/0	3.83	4.40	4.83	4.10	4.26	3.62	1/4/4
Ash	g	24/0/0	1.10	1.26	1.21	1.03	1.21	1.03	1/4/4
Carbohydrate, by difference	g	0	0	0	0	0	0	0	4
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2/0/0	13.0	14.9	16.9	14.3	16.8	14.3	1/4/4
Iron, Fe	mg	2/0/0	1.5	1.7	1.9	1.6	1.9	1.6	1/4/4
Sodium, Na	mg	2/0/0	52	60	67	57	68	57	1/4/4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	11	12	14	12	7	6	4
Fatty acids, total saturated	g	0	1.3	1.5	1.7	1.5	1.5	1.3	4
Cholesterol	mg	4/0/0	58	67	76	64	76	64	1/4/4
Magnesium, Mg	mg	2/0/0	12	14	16	13	16	13	1/4/4
Phosphorus, P	mg	2/0/0	220	253	286	243	288	244	1/4/4
Potassium, K	mg	2/0/0	322	371	419	356	421	358	1/4/4
Zinc, Zn	mg	2/0/0	3.4	3.9	4.4	3.8	4.5	3.8	1/4/4
Selenium, Se	mcg	2/0/0	23	26	29	25	30	25	1/4/4
Thiamin	mg	0	0.06	0.07	0.08	0.07	0.08	0.07	4
Riboflavin	mg	4/0/0	0.18	0.21	0.24	0.20	0.24	0.20	1/4/4
Niacin	mg	4/0/0	6.8	7.8	8.8	7.5	8.8	7.5	1/4/4
Pantothenic acid	mg	0	0.35	0.40	0.45	0.38	0.45	0.38	4
Vitamin B <sub>6</sub>	mg	4/0/0	0.64	0.74	0.84	0.71	0.84	0.72	1/4/4
Vitamin B <sub>12</sub>	mcg	4/0/0	1.7	1.9	2.2	1.9	2.2	1.9	1/4/4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, chuck, short ribs, boneless, trimmed to 0" fat, select

Urmis No: 1127

NDB No : 23130 Lean and Fat, raw; 23127 Lean and Fat, cooked, braised; 13981 Lean Only, cooked, braised

Common names: Beef, Chuck, Short Ribs

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Braised)		(Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	12/11/12	65	74	54	46	59	50	1
Energy	Kcal	0	227	261	287	244	224	190	4
Calories from fat	Kcal	0	156	179	183	156	109	92	4
Protein	g	12/11/12	18	21	26	22	29	24	1
Total lipid (fat)	g	12/11/12	17	20	20	17	12	10	1
Ash	g	12/11/12	0.86	0.99	0.84	0.71	0.93	0.79	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	1	12.0	13.8	14.0	11.9	14.0	11.9	1
Iron, Fe	mg	1	2.2	2.5	2.8	2.3	3.2	2.7	1
Sodium, Na	mg	1	85	98	71	60	75	64	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	0	0	0	0	0	0	4
Fatty acids, total saturated	g	0	7.7	8.9	9.1	7.8	5.8	4.9	4
Fatty acids, total trans	g	0	1.34	1.54	1.30	1.10	0.69	0.59	4
Cholesterol	mg	2	79	90	103	88	108	92	1
Magnesium, Mg	mg	1	17	20	21	18	23	20	1
Phosphorus, P	mg	1	162	186	180	153	209	178	1
Potassium, K	mg	1	273	314	269	229	308	262	1
Zinc, Zn	mg	1	7.0	8.1	10.2	8.7	12.3	10.4	1
Selenium, Se	mcg	1	19	21	32	27	36	31	1
Thiamin	mg	1	0.08	0.09	0.09	0.08	0.10	0.09	1
Riboflavin	mg	1	0.17	0.19	0.25	0.21	0.28	0.24	1
Niacin	mg	1	3.3	3.8	3.5	3.0	3.7	3.2	1
Pantothenic acid	mg	1	0.64	0.74	0.79	0.67	0.87	0.74	1
Vitamin B <sub>6</sub>	mg	1	0.31	0.35	0.31	0.26	0.33	0.28	1
Vitamin B <sub>12</sub>	mcg	1	3.1	3.6	3.3	2.8	3.7	3.1	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

# Beef, chuck, short ribs, boneless, trimmed to 0" fat, choice

Urmis No: 1127

NDB No : 23129 Lean and Fat, raw; 23126 Lean and Fat, cooked, braised; 13980 Lean Only, cooked, braised

Common names: Beef, Chuck, Short Ribs

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked		Cooked		
					(Braised)		(Braised)		
			100g	115g	100g	85g	100g	85g	
Water	g	24	63	73	51	43	56	48	1
Energy	Kcal	0	240	276	317	269	250	213	4
Calories from fat	Kcal	0	171	197	216	184	135	114	4
Protein	g	24	17	20	25	21	29	25	1
Total lipid (fat)	g	24	19	22	24	20	15	13	1
Ash	g	24	0.83	0.95	0.82	0.70	0.90	0.77	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	2	11.0	12.7	14.0	11.9	14.0	11.9	1
Iron, Fe	mg	2	2.3	2.6	2.7	2.3	3.2	2.7	1
Sodium, Na	mg	2	75	86	70	60	75	64	1
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	0	0	0	0	0	0	4
Fatty acids, total saturated	g	0	8.1	9.4	10.6	9.0	7.0	5.9	4
Fatty acids, total trans	g	0	1.12	1.29	1.52	1.29	0.84	0.72	4
Cholesterol	mg	4	74	85	98	83	102	87	1
Magnesium, Mg	mg	2	18	21	20	17	23	20	1
Phosphorus, P	mg	2	167	192	168	143	200	170	1
Potassium, K	mg	2	282	324	228	194	264	224	1
Zinc, Zn	mg	2	7.1	8.2	9.6	8.2	12.0	10.2	1
Selenium, Se	mcg	2	19	22	29	25	33	28	1
Thiamin	mg	1	0.08	0.09	0.09	0.08	0.10	0.09	1
Riboflavin	mg	2	0.17	0.19	0.22	0.19	0.26	0.22	1
Niacin	mg	2	3.3	3.8	3.2	2.8	3.5	2.9	1
Pantothenic acid	mg	1	0.66	0.76	0.71	0.61	0.80	0.68	1
Vitamin B <sub>6</sub>	mg	2	0.30	0.34	0.27	0.23	0.29	0.25	1
Vitamin B <sub>12</sub>	mcg	2	2.9	3.3	3.6	3.0	4.1	3.5	1

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, select

Urmis No: 1239

NDB No : 13856 Lean and Fat, raw; 13857 Lean and fat, cooked; 23586 Lean and fat, raw

Common names: Prime Rib

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			Raw		Cooked (Broiled)		Cooked (Broiled)		
			100g	115g	100g	85g	100g	85g	
Water	g	10	62	71	54	46	62	53	1
Energy	Kcal	0	246	283	278	236	188	160	4
Calories from fat	Kcal	0	162	186	162	138	56	48	4
Protein	g	10	20	22	27	23	31	26	1
Total lipid (fat)	g	10	18	21	18	15	6	5	1
Ash	g	10	0.89	1.02	1.06	0.90	1.19	1.01	1
Carbohydrate, by difference	g	0	0	0	0	0	0	0	7
Fiber, total dietary	g	0	0	0	0	0	0	0	7
Sugars, total	g	0	0	0	0	0	0	0	7
Calcium, Ca	mg	0	22.0	25.3	22.0	18.7	22.0	18.7	4
Iron, Fe	mg	0	1.4	1.6	1.7	1.4	1.9	1.6	4
Sodium, Na	mg	0	49	56	58	49	66	56	4
Vitamin C, total ascorbic acid	mg	0	0	0	0	0	0	0	7
Vitamin A	IU	0	0	0	0	0	0	0	1
Fatty acids, total saturated	g	0	7.3	8.4	7.1	6.0	2.4	2.0	4
Cholesterol	mg	0	85	98	103	88	98	83	4
Magnesium, Mg	mg	0	20	23	23	20	27	23	4
Phosphorus, P	mg	0	180	207	219	186	253	215	4
Potassium, K	mg	0	297	342	349	297	409	348	4
Zinc, Zn	mg	0	3.3	3.8	5.0	4.2	5.7	4.8	4
Selenium, Se	mcg	0	22	26	30	25	39	33	4
Thiamin	mg	0	0.07	0.08	0.08	0.07	0.09	0.07	4
Riboflavin	mg	0	0.11	0.12	0.14	0.12	0.16	0.14	4
Niacin	mg	0	5.2	6.0	7.1	6.0	9.0	7.7	4
Pantothenic acid	mg	0	0.55	0.64	0.54	0.46	0.61	0.52	4
Vitamin B <sub>6</sub>	mg	0	0.54	0.62	0.60	0.51	0.68	0.58	4
Vitamin B <sub>12</sub>	mcg	0	0.9	1.1	1.4	1.2	1.5	1.2	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero



**Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, choice**

Urmis No: 1239

NDB No : 13853 Lean and Fat, raw; 13854 Lean and fat, cooked; 23626 Lean and fat, raw

Common names: Prime Rib

Nutrient Name	Unit	N <sup>[1]</sup>	Lean and Fat				Lean Only		Source Code <sup>[2]</sup>
			<i>Raw</i>		<i>Cooked (Broiled)</i>		<i>Cooked (Broiled)</i>		
			100g	115g	100g	85g	100g	85g	
Water	g	10	60	69.1	53	45.0	62	52.9	1
Energy	Kcal	0	263	302.5	304	258.4	202	171.7	4
Calories from fat	Kcal	0	181	208.3	199	169.0	81	69.2	4
Protein	g	10	19	22.0	25	20.9	28	24.0	1
Total lipid (fat)	g	10	20	23.1	22	18.8	9	7.7	1
Ash	g	10	0.90	1.0	1.04	0.9	1.10	0.9	1
Carbohydrate, by difference	g	0	0	0.0	0	0.0	0	0.0	7
Fiber, total dietary	g	0	0	0.0	0	0.0	0	0.0	7
Sugars, total	g	0	0	0.0	0	0.0	0	0.0	7
Calcium, Ca	mg	0	24.0	27.6	16.0	13.6	16.0	13.6	4
Iron, Fe	mg	0	1.4	1.6	1.6	1.4	1.9	1.6	4
Sodium, Na	mg	0	48	55.2	49	41.7	58	49.3	4
Vitamin C, total ascorbic acid	mg	0	0	0.0	0	0.0	0	0.0	7
Vitamin A	IU	0	0	0.0	0	0.0	0	0.0	1
Fatty acids, total saturated	g	0	8.1	9.3	8.7	7.4	3.4	2.9	4
Cholesterol	mg	0	80	92.0	94	79.9	88	74.6	4
Magnesium, Mg	mg	0	19	21.9	20	17.0	24	20.4	4
Phosphorus, P	mg	0	172	197.8	183	155.6	219	186.2	4
Potassium, K	mg	0	293	337.0	298	253.3	352	299.2	4
Zinc, Zn	mg	0	3.4	3.9	4.4	3.7	5.3	4.5	4
Selenium, Se	mcg	0	21	23.8	26	22.4	33	27.6	4
Thiamin	mg	0	0.05	0.06	0.06	0.05	0.08	0.06	4
Riboflavin	mg	0	0.08	0.09	0.11	0.09	0.15	0.12	4
Niacin	mg	0	6.2	7.1	6.7	5.7	8.3	7.1	4
Pantothenic acid	mg	0	0.56	0.64	0.48	0.41	0.56	0.47	4
Vitamin B <sub>6</sub>	mg	0	0.51	0.59	0.49	0.42	0.59	0.50	4
Vitamin B <sub>12</sub>	mcg	0	1.1	1.2	1.6	1.4	1.8	1.5	4

<sup>[1]</sup> For some items, the number of observations may differ for lean and fat raw, lean and fat cooked, and lean only cooked. In these cases, the N values for each of the preparations are shown respectively. An N of zero represents an estimated or calculated value.

<sup>[2]</sup> Source codes: SC =1 – Analytical data, SC= 4 – Imputed data and # of observations set at 0, SC=7 - Assumed zero

## Appendix A – Analytical methods

NUTRIENT	TECHNIQUE	METHOD
Nitrogen	Combustion	AOAC 968.06 Protein (Crude) in Animal Feed <sup>1</sup>
Fat	Extraction	Folch et al., (1957) J. Biol. Chem., 226; 497-509 or AOAC 983.23 (45.4.02) Fat in Foods, Chloroform-Methanol Extraction Method.
	Acid hydrolysis	AOAC 954.02 Fat (Crude) or Ether Extract in Pet Food
Ash	Gravimetric	AOAC 923.03 Ash of Flour
Moisture	Forced air	AOAC 950.46 Moisture in Meat
Minerals	Inductively coupled plasma	AOAC 984.27 Ca, Cu, Fe, Mg, Mn, P, K, Na and Zn in Infant Formula
	Atomic absorption	985.35 (50.1.14) Minerals in Infant Formula, Enteral Products, and Pet Foods
	Colorimetric	AOAC 13th Ed. 2.019, 2.095, 7.098 Phosphorus in food
	Emission spectrometry	AOAC 990.23 (33.5.12) Sodium and Potassium in Dried Milk
Selenium	Hydride generation	AOAC 986.15 Arsenic, Cadmium, Lead, Selenium and Zinc in Human and Pet Foods
Retinol	High performance liquid chromatography (HPLC)	AOAC 974.29 (modified for HPLC) Vitamin A in Mixed Feeds, Premixes, and Foods and Int'l Vitamin Nutrition (1992) (modified for HPLC determination) or a laboratory modified method with UV & fluorescent detection
Thiamin	Fluorometric or HPLC	AOAC 942.23 + 953.17 + 957.17 HPLC with post column fluorescence derivatization for total thiamin
Riboflavin	Microbiological	AOAC 940.33 + 960.46 + US Pharmacopeia <sup>2</sup> , 23 <sup>rd</sup> rev., pp. 1749-1750
Niacin	Microbiological	AOAC 944.13 + 960.46 + 985.34 + US Pharmacopeia, 23 <sup>rd</sup> rev., pp. 1743-1745
Pantothenic Acid	Microbiological	AOAC 945.74 + 960.46 + US Pharmacopeia, 23 <sup>rd</sup> rev., pp.257-258
Vitamin B6	Microbiological	AOAC 961.15 + Atkin, et al., (1943) <sup>3</sup>
Vitamin B12	Microbiological	AOAC 952.20 + 960.46 + US Pharmacopeia, 23 <sup>rd</sup> rev., pp. 435
Fatty acids	Gas chromatography (GC)	AOAC 996.06 Fat (Total, Saturated and Monosaturated) in foods
Amino acids	Alk. hydrolysis-HPLC	AOAC 988.15 (modified) Tryptophan in Foods and Food and Feed Ingredients
	Performic oxidation-HPLC	AOAC 994.12 (4.1.11) (modified) Amino Acids in Feed (OPA post column)
	Acid Hydrolysis-HPLC	AOAC 982.30 (45.3.05) (modified) Protein Efficiency Ratio (Ninhydrin post column)
	Colorimetric	AOAC 990.26 (39.1.27) Hydroxyproline in Meat and Meat products
Cholesterol	GC/Direct saponification	AOAC 994.10 Cholesterol in Foods or Dinh et al. J Food Comp Anal, 21 (2008) p306-314

<sup>1</sup> Official Methods of Analysis of AOAC International (2000) 17<sup>th</sup> Ed., AOAC International, Gaithersburg, MD, USA.

<sup>2</sup> US Pharmacopeia (1995) 23<sup>rd</sup> rev., United States Pharmacopeial Convention, Inc. Rockville, MD.

<sup>3</sup> Atkin L, Schultz AS, Williams WL, and Frey CN. (1943) Yeast microbiological methods for determination of vitamins – pyridoxine. Indust. Eng. Chem., Analytical Ed. 15(2):141-144

## Appendix B: Nutrient content of separable lean meat, raw

\* The following cuts were not included in this appendix: the outside round, the chuck shoulder top and center, and the chuck shoulder clod. For these denuded single muscles, values for “Separable Lean Only” and “Separable Lean and Fat” are the same since there is no separable fat present.

Description	Nutrient	Unit	100g	N	Source Code
Beef, round, tip round, separable lean only, trimmed to 0" fat, choice, raw	Water	g	73.98	10	1
	Protein	g	20.76	10	1
	Total lipid (fat)	g	4.55	10	1
	Ash	g	1.02	10	1

Description	Nutrient	Unit	100g	N	Source Code
Beef, round, tip round, separable lean only, trimmed to 0" fat, select, raw	Water	g	74.99	10	1
	Protein	g	21.38	10	1
	Total lipid (fat)	g	3.35	10	1
	Ash	g	1.04	10	1

Description	Nutrient	Unit	100g	N	Source Code
Beef, top sirloin, separable lean only, trimmed to 1/8" fat, choice, raw	Water	g	72.51	10	1
	Protein	g	21.91	10	1
	Total lipid (fat)	g	4.62	10	1
	Ash	g	1.09	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, top sirloin, separable lean only, trimmed to 1/8" fat, select, raw	Water	g	73.31	10	1
	Protein	g	22.27	10	1
	Total lipid (fat)	g	3.54	10	1
	Ash	g	1.19	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, tenderloin, separable lean only, trimmed to 0" fat, choice, raw	Water	g	72.04	24	1
	Protein	g	21.78	24	1
	Total lipid (fat)	g	6.16	24	1
	Ash	g	1.11	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, tenderloin, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.04	12	1
	Protein	g	22.16	12	1
	Total lipid (fat)	g	5.10	12	1
	Ash	g	1.10	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, tenderloin, steak, separable lean only, trimmed to 1/8" fat, choice, raw	Water	g	70.17	10	1
	Protein	g	22.17	10	1
	Total lipid (fat)	g	7.07	10	1
	Ash	g	1.08	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, tenderloin, steak separable lean only, trimmed to 1/8" fat, select, raw	Water	g	71.11	10	1
	Protein	g	22.06	10	1
	Total lipid (fat)	g	5.93	10	1
	Ash	g	1.05	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, flank, separable lean only, trimmed to 0" fat, choice, raw	Water	g	68.72	10	1
	Protein	g	21.72	10	1
	Total lipid (fat)	g	6.29	10	1
	Ash	g	0.99	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, flank, separable lean only, trimmed to 0" fat, select, raw	Water	g	72.84	10	1
	Protein	g	21.43	10	1
	Total lipid (fat)	g	5.00	10	1
	Ash	g	0.99	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, tri-tip, separable lean only, trimmed to 0" fat, choice, raw	Water	g	71.33	10	1
	Protein	g	21.17	10	1
	Total lipid (fat)	g	7.06	10	1
	Ash	g	1.02	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, tri-tip, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.48	10	1
	Protein	g	21.34	10	1
	Total lipid (fat)	g	4.21	10	1
	Ash	g	1.10	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, shoulder pot roast or steak, boneless, separable lean only, trimmed to 0" fat, choice, raw	Water	g	72.95	48	1
	Protein	g	21.45	48	1
	Total lipid (fat)	g	4.35	48	1
	Ash	g	1.14	48	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, shoulder pot roast or steak, boneless, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.51	24	1
	Protein	g	21.93	24	1
	Total lipid (fat)	g	3.70	24	1
	Ash	g	1.12	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, mock tender steak, boneless, separable lean only, trimmed to 0" fat, choice, raw	Water	g	73.20	48	1
	Protein	g	21.36	48	1
	Total lipid (fat)	g	4.60	48	1
	Ash	g	1.25	48	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, mock tender steak, boneless, separable lean only, trimmed to 0" fat, select, raw	Water	g	74.46	24	1
	Protein	g	21.22	24	1
	Total lipid (fat)	g	3.53	24	1
	Ash	g	1.12	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, brisket, flat half, boneless, separable lean only, trimmed to 0" fat, choice, raw	Water	g	72.21	24	1
	Protein	g	21.28	24	1
	Total lipid (fat)	g	5.75	24	1
	Ash	g	1.00	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, brisket, flat half, boneless, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.43	12	1
	Protein	g	21.74	12	1
	Total lipid (fat)	g	4.14	12	1
	Ash	g	1.07	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, shoulder top blade steak, boneless, separable lean only, trimmed to 0" fat, choice, raw	Water	g	71.79	24	1
	Protein	g	20.35	24	1
	Total lipid (fat)	g	6.88	24	1
	Ash	g	1.00	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, shoulder top blade steak, boneless, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.35	12	1
	Protein	g	20.39	12	1
	Total lipid (fat)	g	5.73	12	1
	Ash	g	1.25	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, under blade center steak, boneless, Denver Cut, separable lean only, trimmed to 0" fat, choice, raw	Water	g	68.24	24	1
	Protein	g	19.23	24	1
	Total lipid (fat)	g	10.96	24	1
	Ash	g	0.91	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, under blade center steak, boneless, Denver Cut, separable lean only, trimmed to 0" fat, select, raw	Water	g	70.62	12	1
	Protein	g	19.71	12	1
	Total lipid (fat)	g	8.54	12	1
	Ash	g	0.92	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, top loin steak, separable lean only, trimmed to 0" fat, choice, raw	Water	g	69.94	24	1
	Protein	g	22.93	24	1
	Total lipid (fat)	g	6.34	24	1
	Ash	g	1.01	24	1



<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, top loin steak, separable lean only, trimmed to 0" fat, select, raw	Water	g	71.68	12	1
	Protein	g	23.30	12	1
	Total lipid (fat)	g	4.66	12	1
	Ash	g	1.04	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, top loin steak, separable lean only, trimmed to 1/8" fat, choice, raw	Water	g	69.94	24	1
	Protein	g	22.93	24	1
	Total lipid (fat)	g	6.34	24	1
	Ash	g	1.01	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, loin, top loin steak, separable lean only, trimmed to 1/8" fat, select, raw	Water	g	71.68	12	1
	Protein	g	23.30	12	1
	Total lipid (fat)	g	4.66	12	1
	Ash	g	1.04	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, top round steak, separable lean only, trimmed to 0" fat, choice, raw	Water	g	72.66	24	1
	Protein	g	23.59	24	1
	Total lipid (fat)	g	3.26	24	1
	Ash	g	1.12	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, top round steak, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.40	12	1
	Protein	g	23.59	12	1
	Total lipid (fat)	g	2.45	12	1
	Ash	g	1.12	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, top round steak, separable lean only, trimmed to 1/8" fat, choice, raw	Water	g	71.44	10	1
	Protein	g	22.69	10	1
	Total lipid (fat)	g	4.78	10	1
	Ash	g	1.16	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, top round steak, separable lean only, trimmed to 1/8" fat, select, raw	Water	g	72.63	10	1
	Protein	g	23.13	10	1
	Total lipid (fat)	g	3.37	10	1
	Ash	g	1.13	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, eye of round steak, separable lean only, trimmed to 0" fat, choice, raw	Water	g	73.18	24	1
	Protein	g	23.35	24	1
	Total lipid (fat)	g	3.38	24	1
	Ash	g	1.10	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, eye of round steak, separable lean only, trimmed to 0" fat, select, raw	Water	g	73.81	12	1
	Protein	g	23.41	12	1
	Total lipid (fat)	g	2.52	12	1
	Ash	g	1.09	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, eye of round steak, separable lean only, trimmed to 1/8" fat, choice, raw	Water	g	72.89	10	1
	Protein	g	22.88	10	1
	Total lipid (fat)	g	3.38	10	1
	Ash	g	1.10	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, round, eye of round steak, separable lean only, trimmed to 1/8" fat, select, raw	Water	g	73.97	10	1
	Protein	g	23.31	10	1
	Total lipid (fat)	g	2.62	10	1
	Ash	g	1.05	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, short ribs, boneless, trimmed to 0" fat, choice, raw	Water	g	68.73	24	1
	Protein	g	19.38	24	1
	Total lipid (fat)	g	10.70	24	1
	Ash	g	0.90	24	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, chuck, short ribs, boneless, trimmed to 0" fat, select, raw	Water	g	70.24	12	1
	Protein	g	20.14	12	1
	Total lipid (fat)	g	8.99	12	1
	Ash	g	0.93	12	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, choice, raw	Water	g	71.28	10	1
	Protein	g	22.12	10	1
	Total lipid (fat)	g	5.91	10	1
	Ash	g	1.08	10	1

<b>Description</b>	<b>Nutrient</b>	<b>Unit</b>	<b>100g</b>	<b>N</b>	<b>Source Code</b>
Beef, rib, small end (ribs 10-12), trimmed to 1/8" fat, select, raw	Water	g	72.90	10	1
	Protein	g	22.53	10	1
	Total lipid (fat)	g	4.20	10	1
	Ash	g	1.06	10	1

## Appendix C: Retail Cuts for Mandatory Beef Labeling

Cut	Fat Trim Level	Select	Choice
Beef, ground beef, regular (28% fat), without added seasonings	----	Refer to Ground Beef calculator ( <a href="http://ndb.nal.usda.gov/ndb/beef/show">http://ndb.nal.usda.gov/ndb/beef/show</a> )	
Beef, ground beef, 17% fat	----	Refer to Ground Beef calculator ( <a href="http://ndb.nal.usda.gov/ndb/beef/show">http://ndb.nal.usda.gov/ndb/beef/show</a> )	
Beef, loin, top loin, steak	0"	13447 Lean and Fat, cooked, grilled 13450 Lean only, cooked, grilled 23341 Lean and Fat, raw	13446 Lean and Fat, cooked, grilled 13449 Lean only, cooked, grilled 23340 Lean and Fat, raw
	1/8"	23390 Lean and Fat, cooked, grilled 23393 Lean only, cooked, grilled 23387 Lean and Fat, raw	23389 Lean and Fat, cooked, grilled 23392 Lean only, cooked, grilled 23395 Lean and Fat, raw
Beef, ribeye, lip on, bone-in, steak	1/8"	23187 Lean and Fat, cooked, grilled 23158 Lean only, cooked, grilled 23194 Lean and Fat, raw	23186 Lean and Fat, cooked, grilled 23157 Lean only, cooked, grilled; 23193 Lean and Fat, raw
Beef, ribeye, lip on, bone-in, roast	1/8"	23190 Lean and Fat, cooked, roasted 23147 Lean only, cooked, roasted; 23194 Lean and Fat, raw	23189 Lean and Fat, cooked, roasted 23101 Lean only, cooked, roasted; 23193 Lean and Fat, raw
Beef, round, top round, steak	0"	13969 Lean and Fat, cooked, grilled 13491 Lean Only, cooked, grilled 23326 Lean and Fat, raw	13968 Lean and Fat, cooked, grilled 13492 Lean Only, cooked, grilled 23325 Lean and Fat, raw
	1/8"	13898 Lean and Fat, raw	13894 Lean and Fat, raw
Beef, round, bottom round, steak	0"	13404 Lean and Fat, cooked, braised; 13413 Lean Only, cooked, braised	13401 Lean and Fat, cooked, braised; 13410 Lean Only, cooked, braised
	1/8"	13874 Lean and Fat, raw;	13871 Lean and Fat, raw;
Beef, round, eye of round, steak	0"	23353 Lean and Fat, cooked, grilled 23383 Lean Only, cooked, grilled 23335 Lean and Fat, raw	23352 Lean and Fat, cooked, grilled 23382 Lean Only, cooked, grilled 23334 Lean and Fat, raw
	1/8"	13881 Lean and Fat, raw	13879 Lean and Fat, raw
Beef, chuck, arm pot roast	0"	13375 Lean and Fat, cooked, braised 13378 Lean only, cooked, braised	13374 Lean and Fat, cooked, braised 13377 Lean only, cooked, braised
	1/8"	13813 Lean and Fat, raw	13811 Lean and Fat, raw
Beef, chuck, blade, roast	0"	13381 Lean and Fat, cooked, braised 13384 Lean only, cooked, braised	13380 Lean and Fat, cooked, braised 13383 Lean only, cooked, braised
	1/8"	13819 Lean and Fat, raw	13817 Lean and Fat, raw

Beef, brisket, flat half	0"	13950 Lean and Fat, cooked, braised 13485 Lean only, cooked, braised 13983 Lean and Fat, raw	13165 Lean and Fat, cooked, braised 13343 Lean only, cooked, braised 13975 Lean and Fat, raw
	1/8"	13055 Lean and Fat, cooked, braised 23634 Lean only, cooked, braised 23659 Lean and Fat, raw	23660 Lean and Fat, cooked, braised 23615 Lean only, cooked, braised 23658 Lean and Fat, raw
Beef, loin, tenderloin, steak	0"	13441 Lean and Fat, cooked, grilled 13444 Lean only, cooked, grilled 23344 Lean and Fat, raw	13440 Lean and Fat, cooked, grilled 13443 Lean only, cooked, grilled 23343 Lean and Fat, Raw
	1/8"	13924 Lean and Fat, cooked, broiled 23587 Lean only, cooked, broiled 13923 Lean and Fat, raw	13921 Lean and Fat, cooked, broiled 23628 Lean only, cooked, broiled 13920 Lean and Fat, raw
Beef, round, tip round, roast	0"	13423 Lean and Fat, cooked, roasted 13426 Lean only, cooked, roasted 13488 Lean and Fat, raw	13422 Lean and Fat, cooked, roasted 13425 Lean only, cooked, roasted 13487 Lean and Fat, raw
Beef, loin, top sirloin, steak	1/8"	13935 Lean and Fat, cooked, broiled 23588 Lean only, cooked, broiled 13934 Lean and Fat, raw	13932 Lean and Fat, cooked, broiled 23629 Lean only, cooked, broiled 13931 Lean and Fat, raw
Beef, brisket, point half	0"	ALL GRADES only 13371 Lean and Fat, cooked, braised (0") 13372 Lean only, cooked, braised (0")	
	1/8"	13808 Lean and Fat, cooked, braised (1/8") 13807 Lean and Fat, raw (1/8")	
Beef, brisket, whole	0"	ALL GRADES only 13367 Lean and Fat, cooked, braised (0") 13368 Lean only, cooked, braised (0")	
	1/8"	13804 Lean and Fat, cooked, braised (1/8") 13803 Lean and Fat, raw (1/8")	