

| OT1015 Pinto Yield Trial, Othello, WA 2010 | | | | | | | |
|--|-----------|-------------|------------------|---------|-------|-------------|-----------------|
| Line | Emergence | Early vigor | Harvest maturity | Lodging | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | 1 to 9 | days | 1 to 9 | lbs/A | g 100 sd | 1 to 5 |
| PT9-6 | 1.7 | 2.7 | 110 | 6.8 | 4350 | 37.1 | 2.3 |
| CO-55646 | 2.7 | 4.7 | 107 | 3.2 | 4323 | 42.4 | 2.3 |
| PT9-35 | 2.7 | 3.8 | 110 | 4.3 | 4258 | 37.3 | 3.3 |
| Lariat | 1.3 | 1.7 | 107 | 6.5 | 4220 | 44.9 | 3.0 |
| Stampede | 1.7 | 2.7 | 104 | 4.5 | 4186 | 41.6 | 3.0 |
| PT9-26 | 2.0 | 3.3 | 108 | 6.0 | 4184 | 42.4 | 2.8 |
| PT9-16 | 2.7 | 3.8 | 106 | 5.0 | 3915 | 40.8 | 2.8 |
| PT9-22 | 1.7 | 2.8 | 103 | 3.7 | 3907 | 39.3 | 4.0 |
| PT9-28 | 2.3 | 3.5 | 105 | 6.8 | 3883 | 36.0 | 3.0 |
| PT8-6 | 3.3 | 4.7 | 108 | 4.2 | 3856 | 44.8 | 2.8 |
| PT9-11 | 2.0 | 3.3 | 108 | 6.7 | 3828 | 40.7 | 2.8 |
| PT9-15 | 2.0 | 3.3 | 109 | 5.5 | 3779 | 37.7 | 2.3 |
| PT9-18 | 3.0 | 4.0 | 105 | 3.8 | 3755 | 36.8 | 3.3 |
| PT8-15 | 2.0 | 2.8 | 101 | 6.2 | 3738 | 49.7 | 2.8 |
| LaPaz | 2.0 | 3.8 | 107 | 3.2 | 3713 | 39.6 | 2.8 |
| PT9-5 | 2.0 | 3.0 | 106 | 5.3 | 3709 | 36.3 | 3.3 |
| NE2-08-17 | 1.7 | 3.7 | 108 | 5.5 | 3679 | 40.9 | 3.0 |
| PT8-3 | 4.7 | 6.0 | 112 | 3.3 | 3662 | 41.9 | 3.0 |
| IP09-3 | 3.3 | 3.5 | 105 | 5.5 | 3628 | 43.7 | 2.5 |
| PT9-17 | 2.3 | 3.8 | 112 | 5.8 | 3589 | 40.9 | 2.8 |
| ND307 | 1.0 | 1.3 | 104 | 4.7 | 3588 | 42.7 | 3.5 |
| CO-55024-11 | 4.3 | 5.7 | 109 | 5.0 | 3554 | 40.5 | 3.0 |
| SantaFe | 2.7 | 1.3 | 99 | 5.8 | 3496 | 45.7 | 4.3 |
| PT8-1 | 5.7 | 6.2 | 107 | 4.3 | 3491 | 41.7 | 2.8 |
| CO-55024-8 | 4.0 | 5.3 | 109 | 4.2 | 3473 | 40.3 | 2.8 |
| CO-33986 | 3.7 | 5.2 | 106 | 7.2 | 3450 | 42.7 | 2.3 |
| CO-55658 | 1.3 | 2.2 | 104 | 3.5 | 3443 | 43.1 | 3.0 |
| NE2-08-15 | 1.7 | 3.5 | 104 | 6.8 | 3402 | 40.0 | 2.8 |
| Odyssey | 2.0 | 2.3 | 95 | 7.8 | 3356 | 38.5 | 3.3 |
| PT9-20 | 2.0 | 3.2 | 104 | 3.3 | 3331 | 39.5 | 3.8 |
| PT9-24 | 2.7 | 3.7 | 106 | 4.7 | 3303 | 40.1 | 3.3 |
| IP09-6 | 3.0 | 5.5 | 105 | 4.3 | 3283 | 37.7 | 3.0 |
| PT7-5 | 2.7 | 3.5 | 103 | 3.3 | 3278 | 37.3 | 3.0 |
| PT7-9 | 3.0 | 4.5 | 105 | 5.8 | 3273 | 40.7 | 2.0 |
| Jackpot | 2.0 | 3.3 | 98 | 7.8 | 3267 | 40.7 | 2.8 |
| PT8-9 | 1.7 | 2.8 | 102 | 3.2 | 3245 | 36.5 | 4.0 |
| Max | 1.0 | 3.0 | 91 | 3.0 | 3244 | 45.1 | 2.0 |
| MedicineHat | 2.7 | 2.3 | 91 | 2.2 | 3206 | 40.4 | 3.5 |
| NE2-06-08 | 2.0 | 3.2 | 99 | 5.3 | 3175 | 43.3 | 3.8 |
| IP09-5 | 3.0 | 5.7 | 104 | 4.5 | 3162 | 35.2 | 3.0 |
| Mariah | 2.3 | 4.2 | 101 | 4.8 | 3152 | 37.1 | 3.3 |
| PT8-13 | 2.0 | 3.8 | 108 | 5.7 | 3086 | 41.6 | 2.3 |
| CO-24972 | 3.7 | 6.0 | 107 | 2.7 | 3068 | 41.1 | 1.5 |

| | | | | | | | |
|--|------------------|--------------------|-------------------------|----------------|--------------|--------------------|------------------------|
| Baja | 3.0 | 4.0 | 92 | 4.7 | 3013 | 39.3 | 3.8 |
| Sequoia | 2.3 | 2.5 | 96 | 2.5 | 2963 | 37.2 | 4.0 |
| PT8-10 | 4.7 | 4.5 | 101 | 3.5 | 2920 | 41.5 | 2.3 |
| PT7-8-3 | 1.7 | 3.8 | 102 | 3.3 | 2701 | 35.2 | 3.8 |
| IP08-2 | 5.7 | 7.3 | 115 | 2.7 | 2583 | 36.8 | 3.3 |
| P07406 | 3.7 | 4.8 | 104 | 3.2 | 2418 | 37.1 | 4.0 |
| Othello | 2.0 | 2.8 | 89 | 2.7 | 2066 | 39.2 | 2.5 |
| IP09-4 | 7.3 | 8.2 | 108 | 6.0 | 1775 | 40.5 | 2.8 |
| Mean | 2.7 | 3.9 | 104 | 4.7 | 3430 | 40.3 | 3.0 |
| Lsd 0.05 | 0.8 | 1.9 | 6 | 1.6 | 950 | 3.5 | |
| C.V. % | 29 | 31 | 3 | 22 | 17 | 5 | |
| Scores 1 to 9 or 1 to 5 where one is best and 9 or 5 is worst. | | | | | | | |
| OT1016 Prelim Pinto Yield Trial, Othello, WA 2010 | | | | | | | |
| Line | Emergence | Early vigor | Harvest maturity | Lodging | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | 1 to 9 | days | 1 to 9 | lbs/A | g 100 sd | 1 to 5 |
| PT10-17 | 2.2 | 3.2 | 113 | 6.3 | 4949 | 42.5 | 3.0 |
| PT10-15 | 1.7 | 1.8 | 107 | 8.0 | 4719 | 41.9 | 3.0 |
| PT10-8 | 2.8 | 3.5 | 111 | 4.5 | 4462 | 44.1 | 3.5 |
| PT10-6 | 3.0 | 3.8 | 113 | 5.3 | 4410 | 42.1 | 2.8 |
| PT10-9 | 3.3 | 3.5 | 107 | 5.3 | 4403 | 47.1 | 3.5 |
| PT10-5 | 2.7 | 4.3 | 111 | 5.3 | 4150 | 41.3 | 2.8 |
| PT10-10 | 2.8 | 3.5 | 110 | 5.5 | 4058 | 39.1 | 2.5 |
| PT10-14 | 1.2 | 2.0 | 110 | 4.3 | 3900 | 39.9 | 4.0 |
| PT10-13 | 2.2 | 2.3 | 106 | 4.0 | 3879 | 36.9 | 2.8 |
| PT10-12 | 1.5 | 3.0 | 106 | 3.3 | 3783 | 36.8 | 2.8 |
| PT10-7 | 3.0 | 2.3 | 103 | 2.5 | 3780 | 41.1 | 3.5 |
| PT10-11 | 1.8 | 2.3 | 107 | 3.0 | 3686 | 37.2 | 3.3 |
| Othello | 1.7 | 2.7 | 97 | 6.5 | 3592 | 41.9 | 3.5 |
| PT10-30 | 4.2 | 3.0 | 107 | 6.2 | 4312 | 35.9 | 2.0 |
| PT10-29 | 5.8 | 5.5 | 113 | 5.3 | 4138 | 41.6 | 2.3 |
| PT10-23 | 3.0 | 3.0 | 107 | 7.0 | 4081 | 36.5 | 2.0 |
| PT10-3 | 3.5 | 4.0 | 112 | 6.3 | 3919 | 36.3 | 3.0 |
| PT10-18 | 3.0 | 3.5 | 109 | 6.3 | 3869 | 37.3 | 1.5 |
| PT10-25 | 3.8 | 4.3 | 110 | 5.0 | 3839 | 37.2 | 2.3 |
| PT10-21 | 5.0 | 6.0 | 110 | 6.2 | 3750 | 36.3 | 2.8 |
| PT10-19 | 4.5 | 5.3 | 111 | 6.5 | 3680 | 36.3 | 2.8 |
| PT10-27 | 4.7 | 4.8 | 106 | 6.0 | 3359 | 38.4 | 2.3 |
| PT10-24 | 4.8 | 3.8 | 104 | 5.0 | 3328 | 37.7 | 2.8 |
| | | | | | | | |
| Mean | 3.1 | 3.6 | 108 | 5.4 | 4002 | 39.4 | 2.8 |
| Lsd 0.05 | 1.1 | 1.6 | 5 | 1.4 | 460 | 0.8 | |
| C.V. % | 19.0 | 26 | 3 | 15 | 7 | 4 | |

| OT1017 Great Northern Yield Trial, Othello, WA 2010 | | | | | | |
|---|-----------|------------------|---------|-------|-------------|-----------------|
| Line | Emergence | Harvest maturity | Lodging | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | days | 1 to 9 | lbs/A | g 100 sd | 1 to 5 |
| 3138 | 1.7 | 114 | 6.2 | 4960 | 42.1 | 2.3 |
| GN10-13 | 2.3 | 108 | 5.3 | 4809 | 40.5 | 3.3 |
| GN10-16 | 1.5 | 105 | 6.2 | 4744 | 40.2 | 2.5 |
| GN7-9 | 1.8 | 108 | 4.5 | 4591 | 39.8 | 3.0 |
| Orion | 2.2 | 103 | 5.8 | 4490 | 38.3 | 2.8 |
| GN9-4 | 1.7 | 105 | 2.8 | 4470 | 40.0 | 3.0 |
| GN10-14 | 2.5 | 108 | 5.0 | 4430 | 37.1 | 3.8 |
| GN9-7 | 2.2 | 109 | 4.2 | 4338 | 39.8 | 3.0 |
| GN10-17 | 2.2 | 102 | 4.3 | 4313 | 38.6 | 3.0 |
| GN10-18 | 2.7 | 104 | 4.0 | 4270 | 39.4 | 2.5 |
| GN10-15 | 2.0 | 105 | 5.0 | 4263 | 36.5 | 3.0 |
| ABL5-2 | 2.3 | 104 | 7.7 | 4255 | 48.1 | 2.3 |
| GN7-4 | 2.0 | 114 | 8.0 | 4242 | 39.3 | 2.3 |
| GN9-1 | 2.0 | 102 | 5.8 | 4229 | 43.0 | 2.8 |
| GN10-4 | 2.0 | 103 | 3.8 | 4211 | 40.4 | 3.0 |
| GN10-6 | 2.5 | 103 | 4.3 | 4167 | 36.4 | 2.8 |
| Matterhorn | 1.8 | 102 | 3.8 | 4155 | 36.8 | 3.0 |
| GN9-3 | 1.3 | 105 | 3.2 | 4135 | 37.9 | 3.3 |
| GN10-23 | 2.3 | 105 | 4.8 | 4104 | 41.2 | 3.0 |
| GN7-7 | 2.7 | 105 | 7.3 | 4088 | 43.0 | 2.0 |
| GN10-5 | 2.7 | 104 | 5.2 | 4026 | 40.7 | 2.5 |
| GN10-10 | 2.0 | 104 | 6.2 | 4022 | 41.1 | 2.3 |
| GN10-7 | 2.2 | 100 | 4.8 | 4022 | 46.5 | 2.3 |
| GN10-22 | 2.0 | 107 | 5.0 | 4020 | 35.5 | 3.3 |
| GN10-9 | 1.7 | 99 | 2.7 | 3976 | 37.2 | 3.0 |
| GN10-12 | 3.5 | 105 | 4.0 | 3974 | 40.3 | 2.8 |
| GN9-6 | 1.5 | 104 | 7.7 | 3961 | 44.8 | 2.3 |
| ABL5-4 | 2.7 | 107 | 7.8 | 3911 | 45.7 | 1.8 |
| BelNeb-RR-1 | 4.0 | 114 | 8.7 | 3873 | 37.2 | 3.5 |
| Beryl | 1.7 | 97 | 7.5 | 3854 | 32.9 | 3.5 |
| GN10-8 | 3.0 | 101 | 3.7 | 3845 | 45.6 | 2.5 |
| Hungerford-3 | 3.3 | 103 | 7.7 | 3836 | 50.5 | 1.0 |
| GN10-21 | 2.3 | 101 | 4.0 | 3812 | 43.8 | 1.8 |
| NE1-08-29 | 2.2 | 102 | 5.3 | 3766 | 40.5 | 2.5 |
| ABL5-7 | 2.2 | 104 | 7.8 | 3687 | 44.9 | 2.3 |
| GN10-19 | 1.8 | 98 | 3.0 | 3684 | 39.0 | 3.3 |
| NE1-08-16 | 2.7 | 101 | 3.5 | 3658 | 34.1 | 3.3 |
| GN10-1 | 2.5 | 99 | 3.5 | 3641 | 41.6 | 2.0 |
| NE1-08-10 | 1.7 | 99 | 3.3 | 3456 | 34.9 | 3.0 |
| GN10-20 | 2.3 | 97 | 2.3 | 3408 | 38.2 | 2.0 |
| NE1-08-9 | 1.8 | 100 | 3.2 | 3359 | 37.5 | 2.8 |

| | | | | | | | |
|-----------------|-------------|------------|------------|-------------|-------------|------------|--|
| | | | | | | | |
| Mean | 2.2 | 104 | 5.1 | 4075 | 40.3 | 2.7 | |
| Lsd 0.05 | 1.0 | 4 | 1.1 | 540 | 2.9 | | |
| C.V. % | 26.0 | 3 | 13 | 8 | 4 | | |

| OT1018 Small Red Yield Trial, Othello, WA 2010 | | | | | | | |
|---|------------------|--------------------|-------------------------|----------------|--------------|--------------------|------------------------|
| Line | Emergence | Early vigor | Harvest maturity | Lodging | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | 1 to 9 | days | 1 to 9 | lbs/A | g 100 sd | 1 to 5 |
| SR10-1 | 2.2 | 3.2 | 103 | 6.3 | 4133 | 37.6 | 3.5 |
| USRM-20 | 2.3 | 2.8 | 102 | 7.2 | 4109 | 45.6 | 3.0 |
| SR10-6 | 2.2 | 3.0 | 98 | 4.3 | 3995 | 32.9 | 3.3 |
| SR10-4 | 2.0 | 4.2 | 102 | 4.7 | 3812 | 40.8 | 2.8 |
| SR10-5 | 2.3 | 3.3 | 103 | 6.0 | 3796 | 41.9 | 2.8 |
| SR10-13 | 1.5 | 2.8 | 100 | 4.8 | 3795 | 37.1 | 3.3 |
| SR7-3 | 3.2 | 4.8 | 98 | 5.3 | 3764 | 37.9 | 3.0 |
| SR10-2 | 1.7 | 3.3 | 100 | 2.5 | 3752 | 40.3 | 2.5 |
| SR10-12 | 2.0 | 3.0 | 104 | 4.5 | 3697 | 36.4 | 2.8 |
| SR10-3 | 1.8 | 4.0 | 104 | 5.0 | 3631 | 36.9 | 3.3 |
| Merlot | 2.0 | 3.8 | 105 | 2.7 | 3617 | 40.1 | 2.0 |
| NW-63 | 2.0 | 3.5 | 101 | 7.8 | 3581 | 35.3 | 2.8 |
| SR9-2 | 2.3 | 3.7 | 104 | 3.2 | 3494 | 36.5 | 2.8 |
| SR10-16 | 2.2 | 2.8 | 107 | 3.3 | 3488 | 34.3 | 2.8 |
| SR10-10 | 2.7 | 3.8 | 101 | 5.5 | 3487 | 40.4 | 3.5 |
| SR10-15 | 1.5 | 1.8 | 102 | 2.8 | 3462 | 34.8 | 2.8 |
| SR10-18 | 2.2 | 3.3 | 105 | 2.2 | 3454 | 35.5 | 3.0 |
| SR10-11 | 2.2 | 4.2 | 103 | 3.3 | 3372 | 35.7 | 2.5 |
| SR10-9 | 2.8 | 4.0 | 99 | 4.5 | 3325 | 39.7 | 3.5 |
| SR10-21 | 2.2 | 2.3 | 101 | 3.0 | 3221 | 40.5 | 2.5 |
| SR9-5 | 2.3 | 5.0 | 108 | 2.3 | 3159 | 33.3 | 2.5 |
| SR10-8 | 2.2 | 2.7 | 98 | 3.0 | 3083 | 39.5 | 3.3 |
| SR10-20 | 2.3 | 3.2 | 103 | 3.5 | 2950 | 36.5 | 2.8 |
| SR9-4 | 2.2 | 4.0 | 105 | 2.3 | 2917 | 35.7 | 2.0 |
| SR10-14 | 1.8 | 2.7 | 96 | 1.5 | 2776 | 34.0 | 2.8 |
| | | | | | | | |
| Mean | 2.2 | 3.4 | 102 | 4.1 | 3515 | 37.6 | 2.9 |
| Lsd 0.05 | 0.9 | 1.9 | 4.3 | 1.3 | 860 | 2.9 | |
| C.V. % | 26 | 33 | 3 | 19 | 15 | 5 | |

| OT1019 Pink Yield Trial, Othello, WA 2010 | | | | | | | |
|---|------------|-------------|------------------|------------|-------------|-------------|-----------------|
| Line | Emergence | Early vigor | Harvest maturity | Lodging | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | 1 to 9 | days | 1 to 9 | lbs/A | g 100 sd | 1 to 5 |
| PK7-2 | 2.5 | 4.5 | 103 | 5.0 | 4485 | 36.1 | 2.8 |
| PK10-12 | 3.0 | 2.8 | 108 | 7.0 | 4343 | 36.3 | 3.0 |
| PK9-9 | 2.3 | 3.0 | 103 | 7.3 | 4314 | 43.9 | 2.3 |
| PK10-9 | 1.5 | 1.5 | 105 | 7.0 | 4226 | 39.6 | 2.0 |
| PK9-3 | 2.8 | 2.3 | 104 | 6.2 | 4162 | 39.1 | 2.8 |
| UI-537 | 2.8 | 4.8 | 97 | 7.0 | 4094 | 41.2 | 3.8 |
| Roza | 2.8 | 2.5 | 105 | 8.5 | 4083 | 38.8 | 1.5 |
| PK10-4 | 2.0 | 2.5 | 103 | 6.3 | 4071 | 36.9 | 2.8 |
| PK10-2 | 2.5 | 4.0 | 106 | 4.2 | 4057 | 38.0 | 2.5 |
| PK9-15 | 2.5 | 3.7 | 107 | 3.7 | 4057 | 38.8 | 3.0 |
| PK10-8 | 2.2 | 2.0 | 105 | 6.5 | 4023 | 38.4 | 2.3 |
| PK9-13 | 2.7 | 4.2 | 105 | 6.3 | 4009 | 41.9 | 2.8 |
| PK10-19 | 2.5 | 3.5 | 101 | 4.0 | 3950 | 38.1 | 3.0 |
| PK9-6 | 2.5 | 4.2 | 103 | 6.2 | 3937 | 38.1 | 2.5 |
| PK9-1 | 2.2 | 2.3 | 100 | 4.0 | 3934 | 39.1 | 2.3 |
| PK9-7 | 2.7 | 3.3 | 101 | 4.0 | 3859 | 35.7 | 3.0 |
| PK10-15 | 2.3 | 3.0 | 104 | 4.3 | 3816 | 36.0 | 2.8 |
| PK9-4 | 2.3 | 3.7 | 104 | 5.7 | 3788 | 38.0 | 1.8 |
| ROG-312 | 2.5 | 4.0 | 101 | 6.5 | 3767 | 37.9 | 3.3 |
| PK10-25 | 2.0 | 1.7 | 105 | 4.8 | 3760 | 35.9 | 3.3 |
| PK10-5 | 2.2 | 2.0 | 105 | 7.2 | 3732 | 37.5 | 3.0 |
| PK7-8 | 2.2 | 3.5 | 102 | 3.7 | 3695 | 36.4 | 3.3 |
| Viva | 3.7 | 5.7 | 106 | 8.0 | 3694 | 30.9 | 4.0 |
| PK10-10 | 2.5 | 3.7 | 104 | 5.0 | 3686 | 36.9 | 2.8 |
| PK10-21 | 2.3 | 3.2 | 102 | 5.2 | 3625 | 33.1 | 2.5 |
| PK10-23 | 3.7 | 3.3 | 101 | 2.5 | 3606 | 37.9 | 3.5 |
| PK10-24 | 2.8 | 1.8 | 102 | 5.0 | 3552 | 40.9 | 3.0 |
| PK10-6 | 2.2 | 1.8 | 97 | 5.2 | 3497 | 37.9 | 2.5 |
| Sedona | 3.8 | 4.7 | 107 | 4.7 | 3469 | 39.6 | 2.5 |
| PK10-20 | 2.7 | 3.3 | 105 | 4.3 | 3425 | 39.1 | 3.0 |
| PK10-1 | 1.8 | 3.3 | 99 | 2.3 | 3110 | 41.5 | 3.3 |
| PK10-3 | 2.3 | 4.3 | 98 | 2.5 | 2951 | 34.0 | 3.5 |
| | | | | | | | |
| Mean | 2.5 | 3.3 | 103 | 5.3 | 3837 | 37.9 | 2.8 |
| Lsd 0.05 | 0.9 | 0.7 | 5 | 1.7 | 722 | 2.7 | |
| C.V. % | 21 | 22 | 3 | 20 | 11 | 4 | |

| OT1021 Cran - other Large Seeded Yield Trial, Othello, WA 2010 | | | | | | |
|---|------------------|------------------------|-------------------------|--------------|--------------------|------------------------|
| Line | Emergence | Curly top score | Harvest maturity | Yield | Seed weight | Seed Appearance |
| | 1 to 9 | 1 to 9 | days | lbs/A | g 100 sd | 1 to 5 |
| PS03-001-5-1-B | 3.3 | 1.7 | 108 | 3396 | 47.3 | 3.5 |
| Krimson | 4.7 | 2.3 | 104 | 3134 | 55.2 | 2.5 |
| G-122 | 2.5 | 1.8 | 114 | 2815 | 36.4 | 3.5 |
| Bellagio | 2.7 | 2.7 | 108 | 2697 | 53.9 | 3.0 |
| Myasi Mayacob | 7.0 | 5.7 | 115 | 2687 | 42.7 | 3.5 |
| Lucky Strike | 6.0 | 3.8 | 115 | 2626 | 42.7 | 2.5 |
| BD-1002 | 4.0 | 2.2 | 104 | 2541 | 49.2 | 2.5 |
| Cardinal | 3.5 | 1.8 | 104 | 2505 | 54.7 | 2.0 |
| C4-1308B-3E-8- | 5.0 | 2.8 | 108 | 2274 | 52.9 | 2.5 |
| CELRK | 1.7 | 3.0 | 100 | 2176 | 53.5 | 2.5 |
| Capri | 5.0 | 6.3 | 107 | 2150 | 52.0 | 2.0 |
| C4-1308B-3Q-4- | 5.2 | 2.8 | 108 | 2065 | 51.3 | 3.5 |
| Thort | 4.3 | 4.8 | 102 | 2037 | 49.2 | 3.5 |
| C4-1308B-3A-7- | 3.7 | 2.7 | 107 | 2011 | 48.1 | 3.0 |
| | | | | | | |
| Mean | 4.2 | 3.2 | 107 | 2508 | 49.2 | 2.9 |
| Lsd 0.05 | 1.5 | 1.5 | 4 | 610 | 3.6 | |
| C.V. % | 21 | 30 | 2 | 14 | 4 | |
| | | | | | | |
| Scores 1 to 9 or 1 to 5 where one is best and 9 or 5 is worst. | | | | | | |