**NAME:** Wenbin Tuo

**OFFICE ADDRESS:** Animal Parasitic Diseases Laboratory (APDL)

Building 1040, Room 208, BARC-EAST Agricultural Research Service, USDA

Beltsville, MD 20705

Office Phone: 301-504-8258 Lab phone: 301-504-8285 Fax: 301-504-5306

Email: wenbin.tuo@ars.usda.gov

**EDUCATION:** Ph.D., 1990-1993; University of Florida, Gainesville, Florida

M.S., 1983-1986; China Agricultural University (Formerly Beijing Agricultural University), Beijing, People's Republic of

China

D.V.M., 1978-1983; College of Veterinary Medicine, China Agricultural University (Formerly Beijing Agricultural

University), Beijing, People's Republic of China

**EMPLOYMENT:** 

July 2002-present Research Animal Scientist

**Animal Parasitic Diseases Laboratory** 

ANRI, USDA/ARS

Building 1040, Room 208 Beltsville, MD 20705

April 1999-July 2002 Molecular Biologist

Animal Disease Research Unit Agricultural Research Service U. S. Department of Agriculture Pullman, Washington 99164

January 1996-March 1999: Assistant Professor

Department of Veterinary Microbiology and Pathology

College of Veterinary Medicine Washington State University Pullman, Washington 99163

September 1993- 1995: Postdoctoral Fellow

Department of Pathobiology and Center for Animal Biotechnology

Institute of Biosciences and Technology

Texas A&M University College Station, Texas 77143

## **PUBLICATIONS**

- Qu G, Fetterer R, Leng L, Du X, Zarlenga D, Shen Z, Han W, Bucala R, **Tuo W**. *Ostertagia ostertagi* macrophage migration inhibitory factor is present in all developmental stages and may cross-regulate host functions through interaction with the host receptor. **International Journal of Parasitology**. 2014 May;44(6):355-67. doi: 10.1016/j.ijpara.2014.01.009. Epub 2014 Feb 28.
- Qu G, Fetterer R, Jenkins M, Leng L, Shen Z, Murphy C, Han W, Bucala R, **Tuo W.** Characterization of *Neospora caninum* macrophage migration inhibitory factor. **Experimental Parasitology.** 2013 Jul 11. doi:pii: S0014-4894(13)00183-5. 10.1016/j.exppara.2013.07.001. [Epub ahead of print].
- He P, Li J, Gong P, Liu C, Zhang G, Yang J, **Tuo W**, Yang B, Zhang X. *Neospora caninum* surface antigen (p40) is a potential diagnostic marker for cattle neosporosis. **Parasitology Research.** 2013 May;112(5):2117-20. doi: 10.1007/s00436-013-3309-3. Epub 2013 Feb 23.
- Lee SH, Lillehoj HS, **Tuo W**, Murphy CA, Hong YH, Lillehoj EP. Parasiticidal activity of a novel synthetic peptide from the core α-helical region of NK-lysin. **Veterinary Parasitology**. 2013 Apr 20. doi:pii: S0304-4017(13)00232-X. 10.1016/j.vetpar.2013.04.020. [Epub ahead of print].
- Smyth K, Garcia K, Sun Z, **Tuo W**, Xiao Z. TLR agonists are highly effective at eliciting functional memory CTLs of effector memory phenotype in peptide immunization. **International Immunopharmacology.** 2012 Nov 14. doi:pii: S1567-5769(12)00311-6. 10.1016/j.intimp.2012.10.019. [Epub ahead of print].
- Yin J, Qu G, Cao L, Li Q, Fetterer R, Feng X, Quan L, Wang G, Qi D, Zhang X, Miramontes E, Jenkins M, Zhang N, **Tuo W** (2012). Characterization of *Neospora caninum* microneme protein 10 (NcMIC10) and its potential use as a diagnostic marker for neosporosis. **Veterinary Parasitology**. 187(1-2):28-35. Epub 2012 Jan 8.
- Smyth K, Garcia K, Sun Z, **Tuo W**, Xiao Z. (2012) Repetitive peptide boosting progressively enhances functional memory CTLs. **Biochemical and Biophysical Research Communications**. 2012 Jul 15. [Epub ahead of print]
- Li R and **Tuo W**. (2011). *Neospora caninum*: Comparative gene expression profiling of *Neospora caninum* wild type and a temperature sensitive clone. **Experimental Parasitology**, 129(4):346-354.
- Li Z, Palaniyandi S, Zeng R, **Tuo W**, Roopenian D, Zhu X (2011). From the Cover: Transfer of IgG in the female genital tract by MHC class I-related neonatal Fc receptor (FcRn) confers protective immunity to vaginal infection. **Proceedings of National Academy of Sciences**. 108(11):4388-93.

- **Tuo W,** Zhao Y, Zhu D, and Jenkins MC (2011). Immunization of female BALB/c mice with *Neospora* cyclophilin and/or NcSRS2 elicits specific antibody response and prevents against challenge infection by *Neospora caninum*. **Vaccine**, 29(13):2392-9.
- Cao L, Zhang X, **Tuo W** (2011). Tunicamycins, a class of nucleoside antibiotics similar to corynetoxins of the *Rathayibactor toxicus*, increase susceptibility of mice to *Neospora caninum*. **Veterinary Parasitology**, 177:13-19.
- Jin H, **Tuo W**, Lian H, Liu Q, Zhu XQ, Gao H (2010). Strategies to identify microRNA targets: New advances. **New Biotechnology**. 27(6):734-8.
- Liu Q, **Tuo W**, Gao H, Zhu XQ (2010). MicroRNAs of parasites: current status and future perspectives. **Parasitology Research**. 107(3):501-7.
- Jenkins MC, **Tuo W**, Feng X, Cao L, Murphy C, Fetterer R (2010). *Neospora caninum*: cloning and expression of a gene coding for cytokine-inducing profilin. **Experimental Parasitology**. 125(4):357-62.
- Almería S, Araujo R, **Tuo W**, López-Gatius F, Dubey JP, Gasbarre LC (2010). Fetal death in cows experimentally infected with *Neospora caninum* at 110 days of gestation. **Veterinary Parasitology**. 169(3-4):304-11.
- Feng, X., N. Zhang, **W. Tuo**. *Neospora caninum* tachyzoite- and antigen-stimulated cytokine production by bone marrow-derived dendritic cells and spleen cells of naive BALB/c mice (2010). **Journal of Parasitology**, 96(4):717-23.
- Cao L, Gong P, Li J, Zhang X, Zou X, **Tuo W**, Liu Q, Wang Q, Zhang G, Chen L, Li L, Su L. (2009) *Giardia canis*: ultrastructural analysis of *G. canis* trophozoites transfected with full length *G. canis* virus cDNA transcripts. **Experimental Parasitology**. 123(3):212-7.
- Lee S, Lillehoj H, Chun H, **Tuo W**, Park H, Cho S, Lee Y, Lillehoj EP (2008). Immune Enhancing Properties of Safflower Leaf (*Carthamus tinctorius*) on Chicken Lymphocytes and Macrophages. **The Journal of Poultry Science**, 45:147-151.
- Ye L, **Tuo W**, Liu X, Zhu X (2008). Identification and Characterization of a Novel Splicing Variant of the MHC class I-Related Neonatal Fc Receptor for IgG. **Developmental and Comparative immunology**, 32(8):966-79.
- Dubey JP, Vianna MCB, Kwok OCH, Hill DE, Miska KB, **Tuo W**, Velmurugan GV, Conors M, Jenkins MC (2007). Neosporosis in Beagle dogs: clinical signs, diagnosis, treatment, isolation and genetic characterization of *Neospora caninum*. **Veterinary Parasito**logy, 149(3-4):158-66.

Lee S, Lillehoj H, Chun HK, **Tuo W**, Park HJ, Cho S, Lee Y, and Lillehoj EP (2007). *In Vitro* Treatment of Chicken Peripheral Blood Lymphocytes, Macrophages and Tumor Cells with Extracts of Korean Medicinal Plants. **Nutrition Research**, 27:362-366.

Hong, YH, Lillehoj HS, Dalloul RA, Min W, Miska KB, **Tuo W**, Lee SH, Han JY, and Lillehoj EP (2006). Molecular cloning and characterization of chicken NK-lysin. **Veterinary Immunology and Immunopathology**, 110:339-47.

**Tuo W,** Fetterer R, Jenkins M, and Dubey JP. (2005). *Neospora caninum* antigen defined by antigen-dependent bovine CD4<sup>+</sup> T cells. **Journal of Parasitology**. 91:564-568.

**Tuo W,** Fetterer R, Jenkins M, and Dubey JP. (2005). Identification and characterization of *Neospora caninum* cyclophilin that elicits interferon-gamma production. **Infection and Immunity.** 73:5093-5100.

Jenkins M.C., **Tuo W.**, Dubey J.P. (2004). Evaluation of vaccination with *Neospora caninum* protein for prevention of fetal loss associated with experimentally induced neosporosis in sheep. **American Journal of Veterinary Research**.65:1404-8.

**Tuo W,** Davis W, Fetterer R, Jenkins M, Boyd P, Gasbarre L, and Dubey JP (2004). Establishment of *Neospora caninum* antigen-specific T cell lines of primarily CD4<sup>+</sup> T cells. **Parasite Immunology**. 26:241–246.

Jenkins MC, Parker CC, **Tuo W**, Vinyard B, and Dubey JP (2004). Inclusion of CpG adjuvant with plasmid DNA coding for ACGRA7 improves protection against congenital neosporosis. **Infection and Immunity**. 72:1817-9.

O'Rourke KI, Zhuang D, Lyda AK, Gomez G, Williams ES, **Tuo W** and Miller MW (2003). Abundant PrP-CWD in tonsil from mule deer with preclinical chronic wasting disease. **Journal of Veterinary Diagnostic Investigation.** 15:320-323.

Goff WL, Johnson WC, **Tuo W**, Valdez RA, Parish SM, and Barrington GM (2002). The age-related innate immune response in calves to *Babesia bovis* involves IL-12 induction and IL-10 modulation. **Annals of the New York Academy of Sciences**, 969:164-168.

**Tuo W,** O'Rourke KI, Zhuang D, Spraker TR, Cleevers WH, and Knowles DP (2002). Pregnancy status and fetal PrP genetics determine PrP<sup>Sc</sup> accumulation in placentomes of scrapie-infected sheep. **Proceedings of the National Academy of Sciences USA**, 99:6310-6315.

**Tuo W,** Zhuang D, Knowles DP, Sy MS, and O'Rourke KI. (2001). PrP-C and PrP-Sc at the Fetal-Maternal Interface. **Journal of Biological Chemistry**, 276:18229-34.

Goff WL, Johnson WC, Parish SM, Barrington GM, **Tuo W**, and Valdez RA (2001). The age-related immunity in cattle to *Babesia bovis* infection involves the rapid

induction of interleukin-12, interferon-gamma and inducible nitric oxide synthase mRNA expression in the spleen. **Parasite Immunology**, 23:463-71.

**Tuo W,** Palmer GH, McGuire TC, Zhu D and Brown WC (2000). Interleukin-12 as an adjuvant promotes immunoglobulin G (IgG) and type 1 cytokine recall responses to the major surface protein-2 (MSP-2) of the ehrlichial pathogen *Anaplasma margenale*. **Infection and Immunity**, 68: 270-280.

**Tuo W**, Estes DM and Brown WC (1999). Comparative effects of IL-12 and IL-4 on cytokine responses by antigen-stimulated memory CD4<sup>+</sup> T cells of cattle: IL-12 enhances IFN-tau production, whereas IL-4 has marginal effects on cytokine expression. **Journal of Interferon and Cytokine Research**, 19:743-751.

**Tuo W,** Macmillan H, Gunter N, Bazer FW and Brown WC (1999). Upregulation of IL-4 and IFN-gamma expression by interferon-tau, a member of the type I interferon family. **Journal of Interferon and Cytokine Research**, 19:179-187.

**Tuo W**, Ott TL, Liu S-H, and Bazer FW (1999). Intrauterine infusion of bacterial lipopolysaccharide (LPS) prior to mating has no adverse effect on fertility, fetal survival and fetal development. **Journal of Reproductive Immunology**, 42:31-39.

**Tuo W**, Bazer FW, Davis WC, Zhu D, and Brown WC (1999). Differential effects of type I IFNs on the growth of WC1<sup>-</sup> CD8<sup>+</sup> gamma/delta T cells and WC1<sup>+</sup> CD8<sup>-</sup> gamma/delta T cells in vitro. **Journal of Immunology**, 162:245-253.

Estes DM, **Tuo W**, Brown WC and Goin J (1999). Effects of type I/type II interferons on B cell differentiation and proliferation in the bovine. Definition of costimulation and cytokine requirements for Ig synthesis and expression. **Immunology**, 95:604-611.

Stich RW, Rice-Ficht AC, **Tuo W** and Brown WC (1999). *Babesia bovis*: Common protein fractions recognized by oligoclonal *B. bovis*-specific CD4<sup>+</sup> T cell lines from genetically diverse cattle. **Experimental Parasitology**, 91:40-51.

**Tuo W**, Brown WC, Roger E, Zhu D, Lin GB, Smith III R and Bazer FW (1998). Trophoblast IFN-tau differentially induces lymphopenia and neutropenia in lambs. **Journal of Interferon and Cytokine Research**, 18:731-737.

Brown WC, Shkap V, Zhu D, McGuire TC, **Tuo W**, McElwain TF and Palmer GH (1998). CD4<sup>+</sup> T-lymphocyte and immunoglobulin G2 responses in calves immunized with *Anaplasma marginale* outer membranes and protected against homologous challenge. **Infection and Immunity**, 66:5406-5413.

Hirano A, Brown WC, Trigona W, **Tuo W** and Estes M (1998). Kinetics of expression and subset distribution of the TNF superfamily members CD40 ligand and Fas ligand

on T lymphocytes in cattle. **Veterinary Immunology and Immunopathology**, 61:251-263.

Ruef BJ, **Tuo W**, Rodriguez SD, Roussel AJ, Palmer GH, McElwain TF, Canals A, Zarlenga DS, Gasbarre LC and Brown WC (1997). Immunization with *Babesia bigemina* rhoptry-associated protein 1 induces a Type I cytokine response. **Journal of Interferon and Cytokine Research**, 17:45-54.

**Tuo W**, Harney JP and Bazer FW (1996). Developmentally regulated expression of interleukin-1 beta by peri-implantation conceptuses in swine. **Journal of Reproductive Immunology**, 31:185-198.

**Tuo W** and Bazer FW (1996). Expression of oncofetal fibronectin in porcine conceptuses and uterus throughout gestation. **Reproduction, Fertility and Development**, 8:1207-1213.

**Tuo W**, Zhu D and Bazer FW (1996). Transfer of heterologous immunoglobulin into the uterine lumen of pigs. **Journal of Reproductive Immunology**, 32:145-155.

Xu Z, **Tuo W**, Clark KI and Woode GN (1996). A major rearrangement of the VP6 gene of a strain of rotavirus provides replication advantage. **Veterinary Microbiology**, 52:235-247.

Wu G, Bazer FW, **Tuo** W and Flynn SP (1996). Unusual abundance of arginine and ornithine in porcine allantoic fluid. **Biology of Reproduction**, **54:1261-1265**.

Brown WC, Davis WC and **Tuo W** (1996). Human IL-12 upregulates proliferation and IFN-gamma production by parasite antigen-stimulated Th cell clones and gamma/delta T cells of cattle. **Annals of the New York Academy of Sciences**, 795:321-324.

Brown WC, Chitko-McKown CG, Ruef BJ, Rice-Fitch AC, **Tuo W** and Davis WC (1996). IL-10 and IL-12 exert opposite immunoregulatory effects on antigen-stimulated Th cell clones and gamma/delta TCR<sup>+</sup> cells of cattle. **Veterinary Immunology and Immunopathology** 54:69-71.

Brown WC, McElwain TF, Ruef BJ, Suarez CE, Shkap V, Chitko-McKown CG, **Tuo** W, Rice-Ficht AC and Palmer GH (1996). *Babesia bovis* rhoptry-associated protein 1 is immunodominant for T helper cells of immune cattle and contains T-cell epitopes conserved among geographically distant *B. bovis* strains. **Infection and Immunity**, 64:3341-3350.

**Tuo W**, Harney JP and Bazer FW (1995). Colony-stimulating factor-1 in conceptus and uterine tissues in pigs. **Biology of Reproduction**, 53:133-142.

Wu G, Bazer FW and **Tuo W** (name **mis-spelled in pubmed**) (1995). Developmental changes of free amino acid concentrations in fetal fluids of pigs. **Journal of Nutrition**, 125:2859-2868.

**Tuo W**, Ott TL and Bazer FW (1993). Natural killer cell activity of lymphocytes exposed to ovine, type I, trophoblast interferon. **American Journal of Reproductive Immunology**, 29:26-34.

Zhang GG, Li GY, Tian CL, Li BJ, **Tuo W**, Xie FQ (1987). Bovine mastitis diagnostic solutions I and II: Diagnostic standards and clinical trials. Chinese Journal of Veterinary Medicine (Chinese). Vol. 1, 17-19.

## **Patent:**

**Tuo** W, Jenkins M, and Zhao Y. A novel *Neospora caninum* vaccine. **Patent**, US20090208519A1. Pub. No. US2009/0208519 A1; Pub. Date: August 20, 2009. US Patent and Trademark Office, Department of Commerce, USA.

## **Book Chapters:**

Ott TL, **Tuo W**, Brown WC, Fleming JAGW and Spencer TE Bazer FW (1998). Interferon-Tau. In "*Human Cytokines: Handbook for Basic and Clinical Research*, *VIII*", Bharat B. Aggarwal (editor), pp17-34. Blackwell Sciences, United Kingdom.

**Tuo W,** Bazer FW and Brown WC (1999). Lymphokines. In "*Encyclopedia of Reproduction*", Ernst Knobil and Jimmy D. Neill (editors), pp1102-1118. Academic Press, San Diego, CA.