2019 GFRA Scientific Conference, 29th -31st October 2019, Thailand



國海班科学院

STING-MEDIATED INTEGRATED STRESS RESPONSE TO FMDV INFECTION

Rui Zhang, Xiaodong Qin, Zhixiong Zhang, Yanmin Li and Zhidong Zhang

State Key Laboratory of Veterinary Etiological Biology Lanzhou Veterinary Research Institute Chinese Academy of Agricultural Sciences No1 Xujiaping, Yanchangbu, Lanzhou 730046, China



Sting(stimulator of interferon genes) in innate immune sensing of viruses





FMDV infection leads to Sting decrease in PK-15 cells at protein level



中國改业部官院



Autophagy is responsible for Sting decrease during FMDV infection



中国边业部

The decrease of Sting during FMDV infection is dependent on ER-stress induced autophagy



ISRIB, specific inhibitor of eIF2a phosphorylation of PERK-eIF2a axis.

中国农业研究院





中国农业研究院

Lanzhou Veterinary Research Institute

LVR



Wildrype

Atostika





anzhou Veterinary Research Institute

LVR



FMDV infection results in PERK-eIF2α mediated integrated stress response(ISR) to induce autophagy





Sting itself is required for PERK activation and autophagy induction



Lanzhou Veterinary Research Institute

cGAS is not essential for Sting-dependent autophagy







中國改业部官院



PERK interacts with Sting during FMDV infection





Conclusion







Acknowledgement

Professor. Zhidong Zhang

Dr. Xiaodong Qin and all members of Viral Diseases in Grazing Animal Team

中国农业部区院

Funding

The Agricultural Science and Technology Innovation Program The National Key Research and Development Program of China The State Key Laboratory on Veterinary Etiological Biology



Thanks for your attention





